

Table 5. Percentage of Secondary Schools That Provided Those Who Teach Sexual Health Education with Materials for Teaching Sexual Health Education,* Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Approved health education scope and sequence that includes learning objectives, outcomes, and content to guide sexual health education instruction	Written health education curriculum that includes objectives and content addressing sexual health education	Teacher pacing guides for sexual health education	Teaching resources to support sexual health education instruction	Strategies that are age-appropriate, relevant, and actively engage students in learning	Methods to assess student knowledge and skills related to sexual health education	All 6 types of materials (performance measure)
STATE SURVEYS							
Alabama	87.7	82.4	60.5	77.7	81.9	78.8	59.2
Alaska	66.6	70.8	54.0	65.7	66.9	59.4	42.7
Arizona	55.3	58.4	48.1	54.2	58.2	47.3	41.2
Arkansas	78.4	73.5	61.3	78.8	77.9	72.8	55.1
Connecticut	75.8	78.2	52.9	71.1	75.2	71.1	46.6
Delaware	61.5	58.6	39.8	63.2	66.0	65.3	39.8
Florida	90.4	88.8	81.8	87.4	89.3	86.6	76.8
Georgia	79.1	78.0	64.9	81.9	79.1	72.7	58.7
Hawaii	71.3	70.5	55.0	71.8	73.0	67.0	49.9
Idaho	76.8	76.9	55.4	70.4	80.1	75.3	50.1
Illinois [†]	70.9	73.2	52.2	74.3	78.8	74.4	46.7
Indiana	69.4	70.8	50.9	73.7	74.9	68.5	45.6
Iowa	60.2	61.5	43.6	65.2	72.2	64.6	38.1
Kansas	69.8	68.9	52.1	70.6	78.7	67.5	46.1
Kentucky	67.9	67.8	58.1	67.5	74.2	67.0	55.3
Louisiana	49.3	51.1	45.1	57.8	60.5	56.4	42.2
Maine	68.7	69.1	40.5	74.7	75.1	66.1	35.9
Maryland	90.4	92.2	80.5	91.5	92.3	87.7	76.2
Massachusetts	74.9	74.7	55.7	79.1	80.6	75.7	51.9
Michigan	87.7	89.6	71.0	90.1	88.4	83.6	65.5
Minnesota	64.4	62.7	41.2	67.5	71.5	68.1	36.9
Mississippi	80.0	78.4	69.7	75.0	80.2	80.0	65.1
Missouri	76.9	74.3	58.2	77.2	81.1	77.4	53.3
Montana	57.0	56.9	35.2	62.5	62.5	61.9	31.1
Nebraska	63.9	63.9	46.3	70.5	64.1	64.7	43.0
Nevada	89.7	84.7	69.8	77.7	75.1	68.7	54.6
New Hampshire	75.2	79.7	45.0	80.4	78.4	72.6	43.4
New Mexico	76.0	71.5	63.7	75.1	75.9	77.1	57.1
New York	76.4	75.2	57.8	75.4	77.6	76.4	54.5
North Carolina	90.3	89.8	70.7	84.0	84.3	79.7	66.8
North Dakota	57.6	54.8	40.2	68.6	66.9	66.7	36.2
Ohio	62.0	60.0	45.6	63.8	64.8	62.4	41.2
Oklahoma	60.7	62.9	44.0	66.2	63.4	58.9	42.2
Oregon	80.3	81.3	56.4	85.0	80.3	74.8	49.2
Pennsylvania	72.2	79.1	47.2	74.4	75.1	67.4	42.4
Rhode Island	78.6	82.1	53.6	68.8	75.6	71.2	50.1
South Carolina	80.8	80.3	75.3	79.6	80.1	75.3	66.9
Tennessee	78.2	75.3	60.7	71.6	76.4	72.7	58.3
Texas	80.6	79.8	72.0	78.5	81.9	73.8	66.8
Utah	76.8	73.6	43.2	70.8	70.9	65.4	40.4

TABLE 11b. Percentage of Secondary Schools in Which Teachers Taught Specific Sexual Health Topics in a Required Course in Any of Grades 6, 7, or 8 During the Current School Year, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Influencing and supporting others to avoid or reduce sexual risk behaviors	Efficacy of condoms	Importance of using condoms consistently and correctly	How to obtain condoms	How to correctly use a condom	Methods of contraception other than condoms	Importance of using a condom at the same time as another form of contraception to prevent both STDs* and pregnancy	How to create and sustain healthy and respectful relationships
STATE SURVEYS								
Alabama	15.6	9.0	8.3	6.9	6.9	6.9	6.9	16.9
Alaska	40.1	37.2	39.6	32.1	25.9	40.8	40.3	48.6
Arizona	16.6	18.0	16.7	15.3	13.7	18.6	15.2	23.3
Arkansas	75.8	59.4	54.6	37.4	34.9	53.9	57.7	80.1
Connecticut	61.4	52.2	46.4	38.8	25.8	48.1	46.8	73.5
Delaware	76.8	69.8	61.9	54.0	46.8	59.0	55.2	81.0
Florida	66.0	57.8	53.3	47.1	42.1	51.1	49.4	70.2
Georgia	48.2	36.1	35.2	24.5	21.3	34.6	29.0	47.6
Hawaii	46.3	44.6	42.6	40.6	42.6	44.7	44.6	58.7
Idaho	50.4	30.0	24.5	16.6	8.4	27.7	30.6	74.3
Illinois [†]	72.2	61.7	50.8	37.7	28.1	59.3	58.0	84.0
Indiana	63.3	40.9	32.7	19.0	19.8	36.3	35.9	75.2
Iowa	67.6	60.9	56.8	51.3	38.0	60.9	59.0	79.7
Kansas	51.5	47.0	40.3	25.8	23.6	39.8	39.7	63.9
Kentucky	43.8	36.1	30.0	20.9	16.1	31.2	30.2	54.8
Louisiana	22.8	18.6	17.3	16.0	11.1	17.6	16.2	28.3
Maine	64.2	61.1	61.8	57.8	44.2	63.0	63.3	75.7
Maryland	88.3	81.8	76.5	58.8	51.2	81.0	77.1	92.7
Massachusetts	56.7	56.4	55.7	45.8	34.3	54.0	53.5	72.9
Michigan	69.7	39.5	35.6	22.7	18.5	26.9	28.1	68.5
Minnesota	69.5	59.5	51.4	38.1	28.9	55.1	51.1	83.3
Mississippi	54.8	43.4	40.8	30.5	22.9	41.0	43.6	57.3
Missouri	63.0	40.8	33.7	21.2	16.4	40.6	36.0	71.8
Montana	68.8	51.5	45.0	42.0	32.5	49.5	52.1	80.1
Nebraska	53.3	41.8	38.2	29.0	26.9	38.7	35.1	56.4
Nevada	81.3	75.8	77.7	52.1	53.7	80.9	72.9	90.8
New Hampshire	63.9	52.9	47.8	37.6	28.1	49.7	48.2	83.6
New Mexico	58.4	54.6	54.6	46.6	40.4	55.9	56.0	62.4
New York	77.6	69.2	67.1	54.9	47.8	61.3	64.8	89.7
North Carolina	66.3	58.7	53.8	47.4	41.5	61.8	58.4	78.4
North Dakota	64.9	48.4	43.8	28.2	17.7	46.4	43.0	73.1
Ohio	58.1	47.3	40.4	28.1	18.3	38.8	36.0	67.5
Oklahoma	45.8	45.8	45.8	32.6	33.4	38.6	35.2	45.8
Oregon	64.0	59.9	51.9	48.5	42.9	60.3	55.0	71.4
Pennsylvania	59.7	41.3	37.9	24.5	21.4	37.3	37.7	66.9
Rhode Island	71.1	63.0	60.8	36.4	34.3	55.6	54.3	84.3
South Carolina	60.0	38.6	28.6	18.2	17.0	37.1	33.9	60.0
Tennessee	49.0	38.4	33.1	28.1	24.4	32.3	29.6	50.4
Texas	69.1	55.2	50.0	35.7	34.8	44.8	48.3	73.0
Utah	79.2	38.2	22.1	6.1	6.1	32.9	19.9	94.9

TABLE 11c. Percentage of Secondary Schools in Which Teachers Taught Specific Sexual Health Topics in a Required Course in Any of Grades 6, 7, or 8 During the Current School Year, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Importance of limiting the number of sexual partners	Preventive care that is necessary to maintain reproductive and sexual health	How to communicate sexual consent between partners	Recognizing and responding to sexual victimization and violence	Diversity of sexual orientations and gender identities	How gender roles and stereotypes affect goals, decision making, and relationships	The relationship between alcohol and other drug use and sexual risk behaviors	All 22 sexual health topics
STATE SURVEYS								
Alabama	10.1	9.0	8.0	9.0	9.0	9.0	14.8	6.9
Alaska	42.3	41.4	45.7	47.4	36.3	36.2	48.0	18.8
Arizona	16.0	15.2	12.1	16.7	10.7	13.6	18.5	7.6
Arkansas	67.8	71.0	56.9	66.5	38.8	54.8	77.0	27.4
Connecticut	58.4	54.6	58.7	54.9	50.4	54.1	67.4	17.1
Delaware	72.3	73.3	69.6	62.4	54.7	65.9	73.1	35.4
Florida	57.4	56.1	58.4	58.3	45.5	48.2	61.3	25.1
Georgia	47.6	47.6	39.3	39.3	22.8	26.7	51.5	11.9
Hawaii	52.3	47.3	46.7	40.0	38.8	32.2	47.3	19.9
Idaho	52.8	60.0	46.5	44.9	28.2	43.9	61.5	3.4
Illinois*	69.3	69.4	63.0	72.0	48.9	59.4	76.1	20.5
Indiana	67.4	55.8	57.9	55.9	35.1	44.8	70.5	14.4
Iowa	68.4	64.9	61.2	57.5	43.8	52.5	73.0	23.7
Kansas	48.1	45.4	44.4	39.4	24.4	33.0	53.8	12.9
Kentucky	46.1	38.3	34.9	35.7	24.7	33.1	48.5	12.5
Louisiana	17.8	20.7	19.2	17.2	14.4	19.8	23.5	11.1
Maine	67.9	63.3	64.9	52.9	56.5	53.0	68.6	26.3
Maryland	81.3	75.8	82.8	80.3	63.1	73.1	88.9	38.2
Massachusetts	58.0	57.7	59.2	53.9	64.0	60.3	69.0	23.3
Michigan	60.9	57.2	54.4	53.2	36.8	42.2	70.5	10.2
Minnesota	68.8	68.4	58.2	63.0	51.5	57.5	78.4	22.9
Mississippi	52.6	45.1	47.8	38.1	30.5	36.3	50.5	18.7
Missouri	56.1	57.3	48.0	52.1	28.6	39.3	71.4	11.1
Montana	57.5	54.4	50.6	43.9	40.1	51.9	74.8	15.6
Nebraska	50.1	49.1	47.6	46.0	33.5	39.7	56.4	20.7
Nevada	80.9	77.7	74.6	82.6	60.1	68.6	89.2	34.3
New Hampshire	58.7	56.1	58.2	53.7	54.2	59.2	67.0	15.7
New Mexico	58.2	61.8	58.1	54.6	53.5	55.2	63.7	31.2
New York	78.5	78.3	75.8	71.2	77.9	76.8	85.4	38.6
North Carolina	69.3	58.4	53.6	65.5	42.0	56.7	71.1	29.1
North Dakota	60.8	62.7	54.0	58.2	40.9	48.7	66.9	12.4
Ohio	56.0	51.6	50.3	55.0	30.8	42.8	63.2	11.2
Oklahoma	38.8	42.3	48.4	42.0	30.0	32.6	45.0	26.6
Oregon	62.3	63.7	65.1	65.4	60.3	56.3	65.7	29.8
Pennsylvania	56.0	48.8	45.4	44.5	32.3	40.9	61.1	13.8
Rhode Island	65.2	54.6	62.1	69.1	69.2	75.9	77.5	25.9
South Carolina	52.8	53.7	44.2	53.8	25.2	41.9	54.0	11.8
Tennessee	44.1	43.0	37.0	41.8	33.0	36.6	49.0	22.0
Texas	61.4	59.8	55.0	65.2	35.9	49.9	68.2	29.8

TABLE 12. Percentage of Secondary Schools in Which Teachers Assess the Ability of Students to Do Specific Skills in a Required Course Taught in Any of Grades 6, 7, or 8 During the Current School Year, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Comprehend concepts important to prevent HIV, [†] other STDs, and pregnancy	Analyze the influence of family, peers, culture, media, technology, and other factors on sexual risk behaviors	Access valid information, products, and services to prevent HIV, other STDs, and pregnancy	Use interpersonal communication skills to avoid or reduce sexual risk behaviors	Use decision-making skills to prevent HIV, other STDs, and pregnancy	Set personal goals that enhance health, take steps to achieve these goals, and monitor progress in achieving them	Influence and support others to avoid or reduce sexual risk behaviors
STATE SURVEYS							
Alabama	17.5	15.7	10.1	15.6	13.4	18.0	14.3
Alaska	39.5	40.8	37.4	40.5	38.3	45.6	40.2
Arizona	19.8	15.7	18.5	17.0	18.5	23.4	15.7
Arkansas	76.3	76.8	70.0	72.2	77.4	71.6	71.4
Connecticut	68.4	58.1	57.1	63.1	64.1	66.6	56.4
Delaware	73.8	69.4	69.6	69.4	73.1	73.8	65.1
Florida	70.2	56.1	60.7	64.4	65.5	54.3	52.8
Georgia	50.0	43.6	35.9	46.8	43.6	50.3	40.6
Hawaii	48.6	50.3	42.6	50.3	48.2	54.1	42.3
Idaho	67.0	58.7	55.8	59.0	61.5	58.2	55.8
Illinois [†]	78.0	71.6	63.2	71.0	76.2	72.0	67.2
Indiana	66.7	62.3	54.4	63.1	64.9	64.7	59.2
Iowa	64.6	68.9	62.0	67.6	70.1	64.8	66.6
Kansas	54.0	54.2	45.0	52.5	54.4	53.5	50.0
Kentucky	44.0	43.2	33.4	44.3	42.3	48.2	35.5
Louisiana	25.8	27.1	23.2	26.8	25.8	39.9	27.8
Maine	69.0	64.5	67.0	67.2	69.8	66.9	59.9
Maryland	92.0	89.8	82.8	92.2	92.9	90.6	87.5
Massachusetts	62.3	64.4	57.2	63.8	62.6	68.7	53.4
Michigan	68.3	61.5	54.5	60.9	63.7	61.7	56.5
Minnesota	72.5	67.5	62.5	74.0	71.5	77.2	68.5
Mississippi	50.0	46.1	41.8	47.0	48.3	49.4	46.9
Missouri	60.8	59.3	51.8	63.7	62.7	64.6	57.2
Montana	64.5	66.9	55.5	67.1	66.1	66.9	63.6
Nebraska	49.7	53.8	46.6	49.6	47.6	49.7	47.6
Nevada	76.0	71.6	68.4	74.7	76.2	80.1	71.4
New Hampshire	63.5	66.8	57.3	65.5	68.6	67.7	58.3
New Mexico	60.7	59.4	55.5	58.6	58.4	63.1	59.9
New York	87.3	80.9	80.3	79.5	83.2	89.4	79.2
North Carolina	70.0	65.3	61.5	70.8	72.0	70.8	63.4
North Dakota	68.0	72.8	61.1	63.8	63.2	73.0	64.5
Ohio	62.6	57.3	52.4	59.9	60.9	68.9	57.3
Oklahoma	50.5	47.2	50.5	47.2	44.6	47.2	47.2
Oregon	65.8	67.2	63.0	68.9	66.5	68.2	63.6
Pennsylvania	62.2	54.0	48.2	55.9	59.2	58.4	48.5
Rhode Island	78.5	71.4	65.3	66.4	71.5	78.1	64.7
South Carolina	53.0	49.9	45.8	52.0	54.2	58.0	52.2
Tennessee	46.4	44.7	42.1	43.8	45.5	49.4	45.5
Texas	67.3	65.8	58.4	64.6	67.0	67.9	64.4
Utah	80.9	80.1	61.0	77.8	82.7	84.4	71.9

TABLE 13a. Percentage of Secondary Schools in Which Teachers Taught Specific Sexual Health Topics in a Required Course in Any of Grades 9, 10, 11 or 12 During the Current School Year, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	How HIV and other STDs ¹ are transmitted	Health consequences of HIV, other STDs, and pregnancy	Benefits of being sexually abstinent	Influences of family, peers, media, technology, and other factors on sexual risk behaviors	How to access valid and reliable information, products, and services related to HIV, other STDs, and pregnancy	How to obtain condoms	Preventive care that is necessary to maintain reproductive and sexual health	All 3 topics ² taught in grades 9, 10, 11, or 12 (performance measure)
STATE SURVEYS								
Alabama	95.9	93.4	94.6	94.6	92.1	57.9	85.8	56.6
Alaska	55.0	53.9	54.1	53.3	50.3	39.7	48.9	36.8
Arizona	57.5	57.5	56.3	57.6	50.7	42.4	46.5	37.8
Arkansas	96.1	96.0	96.8	92.7	95.0	64.8	87.7	64.2
Connecticut	96.1	97.8	96.8	93.6	94.2	85.9	92.6	80.4
Delaware	100.0	100.0	100.0	92.3	100.0	91.4	95.4	91.4
Florida	80.7	79.3	81.5	77.3	76.5	57.3	72.0	56.4
Georgia	100.0	100.0	100.0	96.6	93.5	46.1	88.4	43.4
Hawaii	80.6	80.6	80.6	76.5	78.7	74.9	74.9	74.9
Idaho	93.4	93.3	89.6	88.3	89.7	47.6	81.2	46.4
Illinois ³	99.0	99.0	99.0	97.2	96.3	76.4	94.5	71.0
Indiana	91.9	93.9	95.4	93.8	90.8	45.2	86.7	44.1
Iowa	84.4	84.4	81.1	81.9	77.7	62.2	76.0	57.3
Kansas	89.7	90.4	91.2	87.9	83.7	51.9	75.2	48.6
Kentucky	91.0	91.9	91.0	89.9	91.0	81.9	86.1	80.1
Louisiana	63.4	63.4	64.0	56.6	53.6	34.2	53.0	34.2
Maine	97.3	97.3	97.3	96.1	96.1	90.8	88.8	83.6
Maryland	99.0	99.0	100.0	99.0	98.0	89.9	96.9	88.9
Massachusetts	86.6	86.5	84.5	83.9	86.8	81.7	81.6	77.9
Michigan	96.5	96.5	97.4	91.7	92.7	58.4	91.4	56.9
Minnesota	93.0	93.0	93.0	91.6	92.3	66.4	91.2	64.7
Mississippi	88.4	87.1	89.1	86.7	83.5	47.1	75.3	45.0
Missouri	93.6	92.6	92.6	96.0	87.9	53.1	84.9	50.5
Montana	88.6	88.7	86.7	79.5	83.2	61.0	77.2	57.5
Nebraska	83.5	81.8	81.6	78.3	78.2	51.4	73.3	49.5
Nevada	95.1	95.1	96.7	88.2	86.5	64.8	93.4	63.2
New Hampshire	98.2	94.6	98.2	96.4	92.9	89.3	96.4	87.6
New Mexico	90.0	90.0	88.9	88.7	90.0	80.3	88.9	78.3
New York	97.6	97.1	96.5	97.0	97.1	92.6	98.3	92.5
North Carolina	82.6	82.6	81.6	82.5	80.8	59.3	80.9	57.6
North Dakota	69.4	71.2	72.7	75.8	70.7	40.1	70.0	38.8
Ohio	96.3	96.3	95.3	92.8	90.7	59.8	89.5	58.1
Oklahoma	44.5	44.5	41.1	36.4	42.7	33.8	33.8	28.5
Oregon	92.3	92.3	92.2	94.0	88.3	85.2	91.7	82.1
Pennsylvania	89.1	89.8	89.2	86.4	86.9	52.8	84.8	50.5
Rhode Island	93.3	93.3	93.3	90.6	93.3	91.0	93.3	91.0
South Carolina	92.5	92.5	93.9	93.9	91.0	74.6	91.0	73.1
Tennessee	94.1	93.0	91.1	90.0	84.9	50.7	79.3	50.2
Texas	74.2	72.6	73.6	70.5	68.1	45.7	68.6	44.5
Utah	89.1	89.1	87.1	87.1	76.9	9.8	71.8	9.8
Vermont	93.5	93.5	93.2	86.6	88.8	88.8	90.9	84.0

TABLE 13b. Percentage of Secondary Schools in Which Teachers Taught Specific Sexual Health Topics in a Required Course in Any of Grades 9, 10, 11 or 12 During the Current School Year, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Communication and negotiation skills*	Goal-setting and decision-making skills*	Influencing and supporting others to avoid or reduce sexual risk behaviors	Efficacy of condoms	Importance of using condoms consistently and correctly	How to correctly use a condom	Methods of contraception other than condoms	Importance of using a condom at the same time as another form of contraception to prevent both STDs and pregnancy
STATE SURVEYS								
Alabama	90.8	88.2	86.6	71.0	67.1	51.2	71.1	69.7
Alaska	51.7	50.8	51.2	44.7	47.6	33.1	46.3	48.4
Arizona	48.9	54.3	53.1	51.1	46.0	32.5	46.5	41.5
Arkansas	88.3	87.0	90.3	79.3	73.0	53.6	78.3	77.0
Connecticut	96.1	88.4	88.8	94.6	94.5	82.5	91.3	94.3
Delaware	96.0	91.4	91.7	96.0	96.0	87.4	96.0	91.4
Florida	74.6	77.1	77.3	67.5	67.3	53.6	68.0	65.1
Georgia	87.6	93.1	90.8	75.2	75.2	45.3	71.7	76.0
Hawaii	72.7	72.7	74.6	78.7	74.4	67.4	78.7	73.0
Idaho	88.2	83.5	78.1	71.1	59.1	44.4	67.2	68.1
Illinois [†]	96.2	94.4	98.0	95.1	89.8	71.1	90.3	90.7
Indiana	90.2	90.4	88.6	69.2	59.4	41.2	63.6	63.3
Iowa	81.1	73.2	73.9	77.3	74.2	49.5	73.8	75.1
Kansas	77.1	73.5	83.7	69.1	63.4	40.4	67.5	65.7
Kentucky	89.0	86.0	87.1	86.9	84.9	71.1	86.9	84.8
Louisiana	52.8	52.4	58.2	42.8	35.8	29.9	41.0	41.3
Maine	91.3	91.2	90.1	92.2	92.0	88.2	94.6	93.4
Maryland	94.9	95.0	96.0	94.0	95.0	86.8	92.9	93.9
Massachusetts	83.9	80.4	80.9	82.6	84.0	75.3	82.7	81.6
Michigan	95.9	93.6	93.8	79.6	72.3	51.3	74.0	70.9
Minnesota	90.7	88.9	88.1	85.9	80.4	58.3	81.4	80.8
Mississippi	84.9	80.5	78.6	60.4	51.4	41.6	61.3	63.1
Missouri	88.8	86.8	87.5	77.2	70.4	43.7	74.4	76.1
Montana	84.3	75.1	75.5	70.8	70.7	57.1	73.8	72.1
Nebraska	74.0	72.3	75.1	61.0	59.2	39.2	59.2	60.8
Nevada	91.5	93.4	91.5	90.1	86.5	72.8	90.1	88.5
New Hampshire	94.6	92.8	94.6	92.9	92.9	89.5	92.7	92.9
New Mexico	89.8	88.8	87.8	81.7	83.6	76.3	85.8	81.7
New York	97.0	97.6	97.6	96.4	95.9	89.5	97.0	96.5
North Carolina	74.7	74.4	75.5	71.4	66.9	54.3	72.1	67.1
North Dakota	73.6	71.9	71.9	60.3	53.1	32.7	54.9	53.1
Ohio	92.0	86.1	85.6	86.0	80.7	55.0	82.5	79.5
Oklahoma	27.3	31.4	35.6	41.7	39.5	23.9	37.1	32.4
Oregon	91.3	87.8	86.0	91.2	89.4	81.3	92.3	92.3
Pennsylvania	87.5	87.1	84.4	69.3	67.4	46.5	69.4	73.3
Rhode Island	90.6	93.3	93.3	93.3	93.3	74.3	93.3	93.1
South Carolina	91.1	92.4	89.1	86.2	77.6	67.4	84.7	84.9
Tennessee	87.1	85.1	85.9	73.0	63.9	39.7	67.5	66.6
Texas	69.5	69.7	68.5	63.2	56.3	42.2	57.0	57.0
Utah	80.1	77.7	77.3	54.9	29.9	9.6	59.7	33.3

TABLE 13c. Percentage of Secondary Schools in Which Teachers Taught Specific Sexual Health Topics in a Required Course in Any of Grades 9, 10, 11, or 12 and the Percentage in Which Teachers Taught at Least 11 Topics in a Required Course in Grades 6, 7, or 8 and Grades 9, 10, 11, or 12 During the Current School Year, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	How to create and sustain healthy and respectful relationships	Importance of limiting the number of sexual partners	How to communicate sexual consent between partners	Recognizing and responding to sexual victimization and violence	Diversity of sexual orientations and gender identities	How gender roles and stereotypes affect goals, decision making, and relationships	The relationship between alcohol and other drug use and sexual risk behaviors	All 22 sexual health topics	At least 11 topics taught in grades 6, 7, or 8 and grades 9, 10, 11, or 12 (performance measure)
STATE SURVEYS									
Alabama	90.7	88.4	82.5	84.9	51.9	68.3	90.8	43.2	40.3
Alaska	56.8	50.4	51.6	52.2	38.5	46.2	51.3	22.2	46.6
Arizona	56.4	44.5	46.9	55.8	40.9	45.0	54.7	19.8	29.3
Arkansas	94.6	87.2	82.6	87.3	59.6	72.8	90.9	40.4	78.1
Connecticut	96.8	94.7	94.4	92.6	84.0	86.6	96.7	58.8	78.4
Delaware	100.0	95.4	95.4	91.7	91.7	87.0	95.4	79.1	85.0
Florida	77.1	71.6	70.1	73.7	61.4	61.8	73.6	45.7	67.4
Georgia	100.0	91.2	74.5	78.5	43.0	63.8	94.5	21.5	70.0
Hawaii	78.3	72.7	72.7	70.4	62.1	60.3	76.4	48.2	62.0
Idaho	90.9	87.3	82.2	78.6	54.7	63.7	92.1	32.6	66.1
Illinois*	98.1	95.4	96.2	92.5	79.9	78.5	98.1	44.3	82.9
Indiana	94.3	88.4	82.9	89.0	51.9	66.8	94.1	27.9	75.0
Iowa	79.2	80.8	77.5	72.7	52.6	63.4	81.4	34.8	72.6
Kansas	91.6	80.6	70.9	77.3	49.0	61.0	82.4	27.4	60.7
Kentucky	91.0	90.0	88.1	86.1	64.6	70.6	90.8	49.9	62.5
Louisiana	65.1	52.4	47.1	50.0	33.9	44.3	62.7	24.5	23.7
Maine	92.2	93.5	93.5	86.2	84.3	80.0	97.2	60.0	80.7
Maryland	100.0	96.9	99.0	95.9	85.9	83.9	99.0	65.8	94.0
Massachusetts	87.1	81.7	84.1	82.1	81.6	79.3	86.7	59.9	71.0
Michigan	97.6	92.7	91.9	89.7	59.6	69.1	96.0	23.8	76.5
Minnesota	92.3	93.0	87.8	84.7	72.9	78.4	92.8	47.3	79.1
Mississippi	85.8	80.3	71.1	73.0	50.2	68.6	85.7	35.5	65.5
Missouri	93.4	86.8	77.6	79.7	56.8	68.0	94.2	29.8	69.1
Montana	92.1	79.1	78.1	70.7	56.8	63.5	83.0	37.1	74.3
Nebraska	78.4	75.1	67.6	72.3	49.8	58.6	82.8	30.8	52.2
Nevada	95.1	91.5	88.2	86.5	72.0	77.8	95.1	58.0	88.0
New Hampshire	100.0	92.8	94.5	92.9	84.0	79.4	98.2	63.2	79.6
New Mexico	89.9	89.9	86.8	86.1	77.8	79.5	89.8	67.0	73.4
New York	97.6	97.0	97.6	97.1	95.0	94.7	98.2	79.8	89.3
North Carolina	81.5	77.3	72.0	76.0	56.4	65.1	81.0	46.1	74.4
North Dakota	77.7	69.3	70.3	70.9	50.5	59.0	74.6	23.4	57.0
Ohio	95.5	93.9	86.1	87.9	63.1	72.3	92.1	39.9	71.1
Oklahoma	39.7	41.7	34.1	25.6	21.6	23.9	32.5	14.8	42.0
Oregon	94.0	88.6	95.1	91.0	90.9	84.3	94.0	69.0	76.5
Pennsylvania	87.2	86.7	80.5	83.3	62.0	66.7	86.9	34.9	67.9
Rhode Island	88.5	93.3	90.9	88.5	91.0	90.3	97.5	66.3	81.0
South Carolina	95.5	89.3	88.2	88.4	49.0	73.7	92.7	39.7	72.5
Tennessee	93.2	86.1	76.4	82.6	56.7	67.3	90.1	32.4	61.1
Texas	71.5	68.7	63.3	66.4	48.5	53.7	68.8	35.2	66.8
Utah	87.1	77.3	68.5	77.7	39.6	68.2	85.5	5.7	72.2

TABLE 14. Percentage of Secondary Schools in Which Teachers Assess the Ability of Students to Do Specific Skills in a Required Course Taught in Any of Grades 9, 10, 11 or 12 During the Current School Year, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Comprehend concepts important to prevent HIV, ¹ other STDs, ¹ and pregnancy	Analyze the influence of family, peers, culture, media, technology, and other factors on sexual risk behaviors	Access valid information, products, and services to prevent HIV, other STDs, and pregnancy	Use interpersonal communication skills to avoid or reduce sexual risk behaviors	Use decision-making skills to prevent HIV, other STDs, and pregnancy	Set personal goals that enhance health, take steps to achieve these goals, and monitor progress in achieving them	Influence and support others to avoid or reduce sexual risk behaviors	All 7 skills in grades 6, 7, or 8 and grades 9, 10, 11, or 12 (performance measure)
STATE SURVEYS								
Alabama	90.6	89.5	88.1	86.8	89.5	85.5	88.2	35.8
Alaska	48.2	48.2	47.2	45.6	47.0	44.9	45.2	32.6
Arizona	55.3	49.6	47.2	47.8	54.1	54.2	51.9	21.7
Arkansas	92.4	88.8	88.1	87.6	93.2	85.8	87.1	66.1
Connecticut	95.6	90.4	90.8	93.3	94.6	85.1	85.4	56.8
Delaware	95.6	100.0	100.0	100.0	95.1	96.1	95.1	70.0
Florida	79.3	73.9	74.5	74.5	75.5	78.9	77.3	57.5
Georgia	90.1	87.0	81.2	87.1	87.1	86.4	84.2	54.2
Hawaii	81.0	75.1	79.1	74.8	81.0	71.1	72.9	46.0
Idaho	87.7	80.4	81.7	85.1	88.9	81.6	82.6	42.5
Illinois [†]	98.2	91.9	91.9	95.5	97.3	91.0	92.0	61.4
Indiana	92.6	90.8	88.8	92.9	91.9	89.7	89.5	57.8
Iowa	80.1	78.2	72.8	78.5	79.3	76.8	73.7	54.6
Kansas	82.9	82.9	74.9	81.1	84.6	82.9	81.9	46.8
Kentucky	89.5	89.7	88.6	88.6	89.7	86.6	86.6	50.1
Louisiana	60.9	56.8	49.7	56.6	56.6	56.6	50.3	20.6
Maine	94.8	91.2	89.8	92.2	93.4	85.0	87.3	62.5
Maryland	96.9	98.0	96.9	99.0	96.0	96.9	95.0	84.3
Massachusetts	85.0	79.7	82.5	83.1	83.8	79.5	78.9	52.4
Michigan	94.8	89.1	90.2	92.6	91.8	88.1	89.3	58.7
Minnesota	91.7	90.4	91.0	90.5	93.0	84.0	86.2	58.2
Mississippi	85.8	84.0	78.3	86.7	85.8	84.7	81.9	52.0
Missouri	88.7	90.4	81.8	87.6	84.9	84.7	81.0	49.2
Montana	84.3	79.7	77.5	82.1	83.2	73.8	78.6	51.8
Nebraska	78.6	75.1	76.8	76.1	77.8	68.3	72.5	39.4
Nevada	91.6	86.3	86.5	88.1	88.1	82.8	82.8	67.5
New Hampshire	94.9	94.9	90.0	96.7	95.0	91.7	88.3	57.9
New Mexico	87.7	87.8	86.6	87.7	88.7	87.8	85.6	65.9
New York	98.2	96.5	97.0	95.3	97.0	93.2	95.2	80.4
North Carolina	83.2	81.4	75.8	79.8	77.1	79.2	73.0	58.5
North Dakota	71.8	73.7	67.1	70.7	72.9	71.5	70.4	42.1
Ohio	94.0	87.0	87.9	91.0	93.6	90.3	87.1	55.2
Oklahoma	37.8	40.0	37.8	29.5	35.6	27.3	35.6	35.2
Oregon	92.0	89.6	90.1	92.0	92.0	88.8	87.6	62.3
Pennsylvania	87.5	84.9	83.9	82.7	86.9	79.2	79.9	47.2
Rhode Island	92.9	90.6	90.8	88.4	88.4	92.5	88.1	65.6
South Carolina	89.6	89.6	89.6	89.7	91.1	87.0	88.4	57.1
Tennessee	89.3	85.3	84.3	86.2	88.3	83.3	83.3	55.2
Texas	69.9	64.8	63.1	67.3	69.2	64.8	65.5	54.4
Utah	89.1	83.6	77.3	85.5	87.5	89.1	83.6	52.6
Vermont	93.3	79.9	88.6	91.1	84.4	77.7	73.2	36.5

TABLE 15. Percentage of Secondary Schools in Which Teachers Provided Students the Opportunity to Practice Specific Skills in a Required Course During the Current School Year, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Communication, decision-making, goal-setting, or refusal skills related to sexual health	Analyzing the influence of family, media, and culture on sexual health	Accessing valid sexual health information, products, and services
STATE SURVEYS			
Alabama	53.2	59.7	56.3
Alaska	47.3	52.6	42.7
Arizona	26.7	28.9	23.3
Arkansas	73.1	80.8	71.6
Connecticut	71.1	73.4	74.2
Delaware	69.6	75.8	76.0
Florida	58.7	57.1	55.8
Georgia	62.6	64.2	54.7
Hawaii	68.4	66.8	60.6
Idaho	69.6	66.2	57.6
Illinois*	71.6	76.3	68.3
Indiana	68.6	68.8	59.7
Iowa	68.0	71.5	66.4
Kansas	56.5	68.4	57.3
Kentucky	59.5	60.4	54.9
Louisiana	34.9	37.6	30.3
Maine	72.0	72.1	69.7
Maryland	89.1	88.6	85.2
Massachusetts	64.2	66.7	65.3
Michigan	63.7	65.1	58.4
Minnesota	82.8	83.5	82.0
Mississippi	61.3	64.8	55.4
Missouri	66.8	73.5	64.3
Montana	66.9	69.7	62.8
Nebraska	65.3	70.2	64.8
Nevada	68.0	65.8	66.5
New Hampshire	72.6	73.6	66.8
New Mexico	72.5	74.6	68.8
New York	82.0	85.3	85.8
North Carolina	69.6	68.3	63.1
North Dakota	67.8	76.9	65.6
Ohio	66.3	68.1	65.8
Oklahoma	31.2	36.2	29.1
Oregon	72.2	76.2	74.5
Pennsylvania	62.8	61.9	58.0
Rhode Island	74.8	77.9	75.0
South Carolina	64.9	67.6	59.1
Tennessee	46.2	51.4	43.8
Texas	57.4	59.9	49.2
Utah	80.1	77.5	57.0
Vermont	71.5	69.6	75.4

TABLE 16. Percentage of Secondary Schools That Implemented Inclusive Practices When Providing Sexual Health Education, Selected U.S. Sites: School Health Profiles, Principal and Lead Health Education Teacher Surveys, 2020

Site	Provided curricula or supplementary materials that include HIV, STD, or pregnancy prevention information relevant to LGBTQ youth	Teacher practices when providing sexual health education in a required course during the current school year				
		Encouraged use of gender-neutral pronouns such as “they/them” during instruction to recognize gender diversity among students	Provided positive examples of lesbian, gay, bisexual, or transgender (LGBT) people and same-sex relationships	Encouraged students to respect others’ sexual and gender identities	Provided students with information about LGBT resources within the school	Identified additional LGBT resources available in the community or online
STATE SURVEYS						
Alabama	39.4	36.5	28.2	59.7	32.7	30.4
Alaska	36.9	24.9	24.8	57.3	23.8	21.3
Arizona	23.4	33.1	35.1	52.2	34.5	27.2
Arkansas	46.3	37.8	34.3	66.0	36.5	31.0
Connecticut	62.4	67.4	64.4	89.4	69.9	55.9
Delaware	46.2	56.0	61.2	84.3	61.3	61.8
Florida	53.2	55.3	50.7	71.3	59.2	46.9
Georgia	37.0	27.6	29.2	69.2	28.8	19.5
Hawaii	53.9	53.9	45.4	77.3	39.9	37.4
Idaho	39.2	35.1	21.7	68.6	21.4	15.5
Illinois*	54.7	51.0	45.3	83.0	50.4	37.6
Indiana	38.0	35.8	24.1	73.5	30.4	23.0
Iowa	56.1	38.7	35.4	74.7	39.7	31.6
Kansas	34.6	29.5	21.7	65.2	26.1	16.5
Kentucky	43.1	33.5	31.0	70.0	33.6	28.4
Louisiana	21.7	35.4	28.2	53.5	24.4	21.9
Maine	64.2	67.2	59.6	92.6	64.3	58.8
Maryland	65.7	68.2	57.1	87.9	61.9	55.8
Massachusetts	65.8	73.9	74.6	89.4	76.9	69.5
Michigan	47.6	45.2	36.4	69.7	35.5	26.2
Minnesota	57.0	63.1	49.0	90.8	56.1	45.2
Mississippi	30.3	29.9	27.4	63.2	25.7	23.6
Missouri	46.5	33.8	31.9	76.8	34.1	21.5
Montana	37.3	46.0	39.0	79.9	35.0	30.1
Nebraska	40.4	31.6	27.8	65.5	30.1	27.1
Nevada	53.0	51.5	47.6	84.1	44.0	39.0
New Hampshire	59.3	54.7	58.5	84.3	59.6	45.3
New Mexico	60.3	63.0	62.6	86.6	65.8	62.3
New York	73.4	78.6	83.5	93.6	82.2	75.9
North Carolina	43.4	37.5	35.7	64.0	36.6	34.7
North Dakota	44.7	42.3	34.0	73.1	38.4	27.1
Ohio	39.8	46.4	38.0	80.1	40.2	33.6
Oklahoma	33.2	27.4	22.1	44.2	24.7	18.9
Oregon	77.0	66.9	61.6	88.5	67.6	58.8
Pennsylvania	46.8	48.0	48.0	81.3	45.5	37.2
Rhode Island	66.4	72.5	72.7	92.9	77.3	73.7
South Carolina	34.7	40.2	22.8	64.6	25.2	17.9
Tennessee	35.2	34.0	28.7	55.4	34.7	29.5
Texas	35.0	39.5	36.2	60.3	38.5	32.8
Utah	36.1	45.5	15.9	75.8	29.1	17.9
Vermont	72.4	73.3	77.3	89.5	76.6	66.8

TABLE 25. Percentage of Secondary Schools in Which the Lead Health Education Teacher Received Professional Development* During the Two Years Before the Survey on Teaching Methods, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Teaching students with physical, medical, or cognitive disabilities	Teaching students of various cultural backgrounds	Teaching students with limited English proficiency	Supporting lesbian, gay, bisexual, and transgender students	Using interactive teaching methods [†]	Encouraging family or community involvement	Teaching skills for behavior change	Classroom management techniques (performance measure)	Assessing or evaluating students in health education
STATE SURVEYS									
Alabama	66.4	55.6	61.4	21.5	56.2	53.6	50.8	64.5	41.9
Alaska	50.8	65.6	40.5	18.0	55.0	50.8	45.8	63.7	18.3
Arizona	59.5	53.2	51.8	29.7	55.4	53.1	52.2	67.7	29.4
Arkansas	72.8	71.4	59.4	26.2	67.9	75.6	67.1	86.8	57.7
Connecticut	55.3	63.6	45.3	53.4	58.2	46.3	48.9	66.0	37.6
Delaware	60.5	75.9	48.5	41.5	61.0	44.2	54.2	67.8	35.7
Florida	70.6	70.9	69.2	52.1	71.7	54.1	63.3	74.8	51.6
Georgia	61.1	52.5	49.8	25.1	62.4	51.6	56.6	78.1	42.5
Hawaii	43.1	37.9	46.9	23.0	50.6	29.4	36.8	58.5	29.5
Idaho	44.9	42.0	39.0	21.2	51.2	40.4	48.0	58.8	35.9
Illinois [‡]	65.5	60.9	40.1	38.3	63.7	47.8	58.9	76.0	47.1
Indiana	50.5	47.4	42.1	20.6	46.9	38.6	50.2	62.6	35.8
Iowa	56.1	52.7	42.1	26.8	57.7	38.3	54.5	66.8	31.4
Kansas	53.5	44.3	37.1	26.2	57.1	52.6	60.6	70.7	34.0
Kentucky	61.4	54.5	33.2	24.9	61.5	49.1	58.2	73.5	43.9
Louisiana	63.5	57.7	39.0	23.2	58.6	58.2	55.2	75.4	49.8
Maine	55.9	39.6	18.7	54.9	59.0	35.5	53.6	61.1	46.5
Maryland	71.5	78.7	67.4	66.7	80.2	56.6	71.0	72.3	70.3
Massachusetts	70.0	72.6	71.4	70.2	63.2	47.7	56.6	65.9	41.5
Michigan	48.4	54.6	34.5	33.0	56.3	39.9	50.4	65.9	34.9
Minnesota	69.3	87.4	67.3	48.9	57.6	48.1	61.1	74.2	43.3
Mississippi	60.2	56.3	47.5	20.7	61.6	59.4	54.1	68.1	48.2
Missouri	61.0	52.8	31.4	29.3	64.6	49.8	60.3	73.2	44.8
Montana	48.7	34.2	15.4	19.2	49.8	38.2	52.7	61.6	31.8
Nebraska	46.9	43.6	31.3	18.9	49.4	38.2	53.5	62.0	42.3
Nevada	42.2	58.7	58.8	29.5	52.7	48.7	42.6	56.0	31.7
New Hampshire	74.9	45.2	24.4	59.4	72.5	48.8	73.7	82.6	63.5
New Mexico	56.6	63.4	56.2	41.2	62.5	49.6	56.0	73.4	35.1
New York	63.3	62.0	50.8	63.2	69.6	54.2	59.6	67.7	57.0
North Carolina	62.4	66.0	56.3	35.8	62.8	54.7	52.8	64.0	48.5
North Dakota	51.9	45.6	23.9	19.3	51.4	46.3	48.6	65.7	33.8
Ohio	59.7	53.0	30.6	23.5	60.4	49.6	60.2	71.9	34.6
Oklahoma	68.6	68.8	48.7	28.4	53.8	63.5	55.7	66.8	41.0
Oregon	57.8	72.8	55.2	52.4	58.0	42.8	49.6	64.9	27.3
Pennsylvania	55.5	47.1	40.1	37.3	58.1	42.9	55.7	67.3	38.4
Rhode Island	60.0	67.5	56.2	62.3	56.8	44.8	48.1	63.4	45.2
South Carolina	54.6	58.8	55.3	24.7	56.8	47.9	50.6	63.5	46.8
Tennessee	67.1	64.9	54.6	23.2	69.5	63.8	61.8	80.9	48.6
Texas	73.3	68.8	70.9	25.1	73.1	62.1	63.5	81.4	56.2
Utah	38.9	46.1	49.3	32.1	62.8	38.3	49.7	69.7	48.9

TABLE 26. Percentage of Secondary Schools in Which the Lead Health Education Teacher Wanted to Receive Professional Development on Teaching Methods, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Teaching students with physical, medical, or cognitive disabilities	Teaching students of various cultural backgrounds	Teaching students with limited English proficiency	Supporting lesbian, gay, bisexual, and transgender students	Using interactive teaching methods ^a	Encouraging family or community involvement	Teaching skills for behavior change	Classroom management techniques	Assessing or evaluating students in health education
STATE SURVEYS									
Alabama	62.2	69.5	54.0	45.1	61.8	63.8	66.7	63.2	64.7
Alaska	56.8	58.0	48.9	53.1	57.9	64.9	71.7	59.4	53.9
Arizona	59.3	58.3	53.4	51.9	50.4	57.7	64.4	59.3	57.3
Arkansas	72.5	64.8	61.7	51.3	63.0	73.4	71.3	69.1	70.2
Connecticut	79.4	73.9	68.6	81.9	74.8	75.4	77.4	61.0	78.9
Delaware	67.7	66.1	66.3	70.9	59.0	68.8	58.6	55.5	62.3
Florida	59.3	58.2	51.7	59.3	54.9	61.4	65.7	57.8	56.9
Georgia	58.9	56.3	51.4	47.8	59.4	56.7	66.1	51.7	59.4
Hawaii	67.2	62.2	58.1	74.0	71.1	70.0	78.3	59.7	76.1
Idaho	61.4	58.9	55.7	58.9	66.4	75.1	75.8	61.2	68.1
Illinois [†]	66.5	58.8	48.9	66.2	62.6	69.3	71.7	58.5	65.3
Indiana	47.8	44.1	37.5	50.3	46.0	53.1	55.5	47.8	46.6
Iowa	59.0	53.2	48.2	62.3	59.2	61.9	63.7	56.1	64.7
Kansas	62.1	57.3	46.2	55.1	57.3	72.7	69.1	61.6	61.5
Kentucky	63.3	59.9	55.1	59.2	67.5	72.9	70.0	61.3	66.0
Louisiana	72.4	66.7	62.2	55.2	62.1	68.6	71.4	70.0	69.2
Maine	68.5	55.2	43.4	77.3	67.5	72.0	79.7	63.7	69.7
Maryland	71.5	70.4	72.3	75.6	68.6	73.1	75.5	67.4	68.2
Massachusetts	79.4	79.5	74.7	84.8	76.0	79.3	83.2	72.6	80.4
Michigan	67.7	64.9	53.9	69.6	64.2	68.7	73.0	56.6	68.3
Minnesota	57.1	64.2	58.1	71.8	66.1	72.6	68.3	56.4	69.3
Mississippi	68.2	66.5	64.6	54.7	69.1	72.4	73.6	67.0	69.9
Missouri	61.7	53.6	43.0	53.7	55.5	61.3	64.8	55.7	57.2
Montana	72.8	65.4	50.6	65.9	68.9	75.2	78.1	70.8	78.4
Nebraska	49.2	44.4	41.3	46.7	45.5	53.9	51.4	51.3	49.6
Nevada	60.2	60.4	59.9	67.1	60.2	70.3	68.5	50.8	66.7
New Hampshire	77.1	70.2	55.3	88.9	76.1	80.0	84.8	74.8	80.6
New Mexico	64.8	62.9	61.1	63.9	65.0	69.9	70.9	60.5	66.6
New York	73.5	68.6	64.1	79.6	72.1	75.6	78.6	64.7	73.9
North Carolina	60.0	58.5	54.4	51.7	53.7	63.4	62.6	53.1	58.6
North Dakota	54.1	54.1	40.9	58.4	51.3	64.4	60.2	52.6	59.2
Ohio	74.1	64.7	57.6	69.4	68.0	76.0	77.0	70.2	74.9
Oklahoma	56.1	55.2	50.7	46.7	51.6	64.3	65.2	55.8	54.5
Oregon	59.8	61.6	57.5	74.3	55.8	68.0	70.2	52.5	57.1
Pennsylvania	67.7	63.7	59.5	73.7	65.3	67.9	71.0	63.8	69.6
Rhode Island	74.9	66.9	68.2	85.6	68.0	67.5	78.5	64.0	76.5
South Carolina	60.2	52.5	50.3	45.5	49.3	57.7	60.6	49.7	52.5
Tennessee	67.2	62.8	59.4	46.9	64.0	64.6	67.2	60.3	64.8
Texas	69.3	68.9	65.6	59.2	61.6	69.4	70.5	64.4	65.0
Utah	58.4	59.6	62.1	64.3	65.9	64.1	68.3	49.8	63.0

TABLE 27. Percentage of Secondary Schools in Which the Lead Health Education Teacher Received Professional Development* During the Two Years Before the Survey on Topics Related to Teaching Sexual Health Education, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Aligning lessons and materials with the district scope and sequence for sexual health education	Creating a comfortable and safe learning environment for students receiving sexual health education	Connecting students to on-site or community-based sexual health services	Using a variety of effective instructional strategies to deliver sexual health education	Building student skills in HIV ¹ , other STD ² , and pregnancy prevention	Assessing student knowledge and skills in sexual health education	Understanding current district or school board policies or curriculum guidance regarding sexual health education	Identifying appropriate modifications to the sexual health curriculum to meet the needs of all students	Engaging parents in sexual health education
STATE SURVEYS									
Alabama	24.6	26.3	19.2	20.6	20.2	20.7	21.6	19.4	13.9
Alaska	15.6	15.1	12.6	15.5	12.0	12.2	21.2	15.8	8.7
Arizona	12.8	16.4	14.1	15.4	15.9	15.7	16.8	13.5	8.9
Arkansas	36.9	37.7	28.3	33.4	30.2	32.1	35.4	32.8	22.8
Connecticut	35.6	36.3	23.7	36.7	27.6	28.0	30.4	27.3	13.8
Delaware	33.9	34.3	24.1	34.8	34.0	27.9	28.0	24.3	19.0
Florida	45.1	45.7	35.3	43.1	40.6	39.5	45.0	42.5	28.4
Georgia	34.5	38.3	24.2	32.4	34.5	32.7	30.5	25.6	23.1
Hawaii	26.4	27.2	17.4	22.3	22.0	20.5	24.2	21.0	15.0
Idaho	25.4	26.5	10.7	17.9	18.8	15.9	21.3	17.6	11.6
Illinois ⁵	35.0	37.4	26.8	37.5	32.4	32.5	28.9	30.7	17.9
Indiana	24.5	20.2	17.4	18.5	17.0	18.2	25.4	21.6	15.6
Iowa	27.3	31.2	22.8	28.9	23.6	27.2	22.0	24.5	16.9
Kansas	20.0	23.7	15.0	19.2	18.0	18.4	21.8	18.7	9.0
Kentucky	22.9	21.4	17.9	15.3	15.6	14.8	17.9	16.6	11.9
Louisiana	15.0	15.5	15.8	14.3	11.6	15.9	16.0	10.3	7.8
Maine	40.1	45.3	29.0	42.0	40.2	38.5	24.7	31.2	13.3
Maryland	73.7	74.3	54.3	71.5	64.1	65.5	71.0	70.1	43.4
Massachusetts	38.9	40.7	28.9	36.1	29.6	32.6	30.9	34.8	21.0
Michigan	43.3	48.0	28.2	43.3	45.1	38.2	47.7	38.7	29.2
Minnesota	35.8	35.1	25.1	30.5	27.5	27.7	28.0	26.6	13.6
Mississippi	32.2	35.0	22.5	30.3	28.3	31.3	35.2	27.0	19.1
Missouri	34.6	29.2	17.9	23.2	21.2	25.6	35.6	25.4	14.2
Montana	22.6	26.0	18.0	20.1	20.4	18.6	21.9	15.7	10.1
Nebraska	32.6	32.5	24.0	29.3	28.2	26.9	29.9	26.6	19.1
Nevada	27.1	26.8	19.7	24.0	23.2	21.7	30.1	26.0	19.2
New Hampshire	39.7	44.4	29.4	50.7	34.6	47.5	37.4	43.3	24.0
New Mexico	31.2	39.0	33.6	37.1	31.5	29.3	35.0	30.7	17.8
New York	54.9	59.6	50.0	57.1	51.8	48.8	43.3	48.5	32.4
North Carolina	40.0	34.5	30.9	36.2	29.3	33.4	38.6	34.1	24.3
North Dakota	27.9	25.6	17.0	20.6	19.4	20.0	18.8	20.8	10.5
Ohio	25.1	23.6	18.3	21.8	20.5	21.7	25.3	21.7	10.2
Oklahoma	19.2	21.6	22.3	20.3	21.2	17.0	17.4	17.0	9.7
Oregon	48.4	44.8	30.6	41.6	28.6	31.6	44.8	37.0	21.6
Pennsylvania	29.8	28.3	18.6	23.6	22.0	21.1	26.4	23.4	12.5
Rhode Island	40.2	37.8	29.5	31.8	31.9	29.1	28.5	31.8	19.9
South Carolina	36.5	41.7	28.2	32.5	31.8	29.5	36.7	32.3	21.7
Tennessee	31.0	27.7	21.0	23.5	22.0	22.4	27.4	23.4	15.2
Texas	40.1	37.9	31.9	34.5	34.6	35.6	37.2	34.2	25.0
Utah	55.9	55.1	22.7	37.6	41.2	35.9	59.8	41.5	21.6
Vermont	37.1	44.9	30.5	45.2	38.1	38.1	21.2	36.1	19.3

TABLE 28. Percentage of Secondary Schools in Which the Lead Health Education Teacher Wanted to Receive Professional Development on Topics Related to Teaching Sexual Health Education, Selected U.S. Sites: School Health Profiles, Lead Health Education Teacher Surveys, 2020

Site	Aligning lessons and materials with the district scope and sequence for sexual health education	Creating a comfortable and safe learning environment for students receiving sexual health education	Connecting students to on-site or community-based sexual health services	Using a variety of effective instructional strategies to deliver sexual health education	Building student skills in HIV ^a , other STD ^b , and pregnancy prevention	Assessing student knowledge and skills in sexual health education	Understanding current district or school board policies or curriculum guidance regarding sexual health education	Identifying appropriate modifications to the sexual health curriculum to meet the needs of all students	Engaging parents in sexual health education
STATE SURVEYS									
Alabama	44.0	53.2	50.2	51.0	50.6	50.2	51.9	50.2	44.6
Alaska	44.5	45.0	53.0	50.7	48.5	49.7	50.4	53.3	54.0
Arizona	32.4	37.2	38.1	36.8	36.9	38.2	36.4	39.5	38.7
Arkansas	64.4	63.2	61.9	63.2	62.0	61.6	62.5	64.3	60.9
Connecticut	63.6	68.2	66.1	77.0	70.2	72.8	59.6	73.8	69.7
Delaware	66.3	68.4	70.3	71.2	75.6	79.7	75.0	79.2	77.4
Florida	45.1	50.3	51.1	52.3	49.8	50.0	53.4	53.1	49.3
Georgia	60.8	55.3	52.5	59.3	52.5	57.6	62.4	57.7	55.4
Hawaii	59.8	61.0	65.0	67.0	59.9	61.3	64.1	65.6	65.5
Idaho	56.9	62.1	57.4	66.6	64.3	61.2	60.6	63.9	63.7
Illinois ^c	58.5	60.6	60.7	69.7	62.2	60.2	58.3	66.6	64.1
Indiana	36.7	42.2	41.6	47.4	46.4	42.0	41.2	45.7	40.5
Iowa	52.6	56.8	57.2	63.7	56.8	61.5	54.0	58.7	58.3
Kansas	54.9	59.6	58.3	64.6	61.6	56.7	55.3	60.8	63.1
Kentucky	53.9	56.1	54.6	59.6	53.2	53.8	54.1	56.5	56.2
Louisiana	49.7	50.4	48.9	51.5	50.9	52.0	53.5	50.2	48.2
Maine	56.4	57.1	61.2	75.1	67.8	68.2	56.6	71.0	67.7
Maryland	53.4	62.0	68.8	71.0	66.4	66.2	55.5	68.3	72.5
Massachusetts	70.7	74.1	67.6	80.1	74.7	78.5	70.3	80.3	76.0
Michigan	54.4	53.7	55.0	63.1	62.8	64.6	54.9	62.1	60.6
Minnesota	58.2	60.0	61.5	70.5	65.8	66.3	58.7	67.2	66.6
Mississippi	61.1	59.6	55.1	64.4	60.7	61.0	59.5	58.1	59.0
Missouri	46.1	50.5	48.5	56.4	51.2	51.2	46.4	53.3	52.7
Montana	62.2	68.6	64.3	76.6	70.7	73.0	68.0	69.9	71.6
Nebraska	41.1	44.6	43.2	45.1	45.6	45.0	44.6	45.5	46.6
Nevada	60.1	56.1	59.1	64.6	64.7	62.9	62.9	67.2	60.2
New Hampshire	72.3	75.2	74.2	84.2	75.3	75.3	69.6	80.0	77.9
New Mexico	54.2	58.9	55.3	60.9	55.8	59.7	57.4	59.8	65.8
New York	69.0	67.5	66.8	75.7	72.4	71.8	68.5	72.6	72.7
North Carolina	49.2	52.9	51.6	54.1	52.3	50.8	52.7	53.6	53.4
North Dakota	51.6	55.6	54.3	64.6	59.4	61.4	59.8	57.0	59.6
Ohio	65.5	67.7	68.5	69.1	68.0	67.7	66.7	70.2	69.1
Oklahoma	43.0	50.2	46.4	49.8	52.3	44.3	45.7	46.0	42.6
Oregon	53.9	55.2	58.4	65.6	61.3	59.4	56.5	70.2	65.0
Pennsylvania	60.8	63.8	65.3	72.6	68.3	67.5	59.0	67.8	63.5
Rhode Island	63.9	68.4	71.6	79.1	69.1	74.2	65.4	74.0	73.8
South Carolina	48.4	46.1	47.8	50.6	49.4	51.5	47.9	54.5	49.9
Tennessee	45.9	46.4	45.3	49.8	47.0	46.1	49.2	47.4	45.4
Texas	56.5	58.6	59.6	62.0	59.7	56.6	59.5	59.8	59.9
Utah	56.0	57.9	63.8	75.2	67.0	63.6	56.7	73.4	67.5

Table 42. Percentage of Secondary Schools That Engage in Specific Practices Related to Lesbian, Gay, Bisexual, Transgender, and Questioning (LGBTQ) Youth; the Percentage That Have a Gay/Straight Alliance or Similar Club,* and the Percentage in Which School Staff Received Professional Development to Support LGBT Students, Selected U.S. Sites: School Health Profiles, Principal and Lead Health Education Teacher Surveys, 2020

Site	Identify safe spaces ¹	Prohibit harassment ²	Encourage staff to attend professional development on safe and supportive school environments for all students ³	Facilitate access to providers not on school property who have experience in providing health services ⁴ to LGBTQ youth	Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	Have a gay/straight alliance or similar club	Lead health education teacher received professional development on how to support LGBT students ⁶	Staff received professional development to support LGBT students (performance measure) ¹¹
STATE SURVEYS								
Alabama	80.1	94.7	76.6	47.4	54.0	24.4	21.5	14.8
Alaska	53.4	92.7	74.1	53.2	49.6	26.7	18.0	11.2
Arizona	75.2	92.5	72.9	42.1	49.4	29.3	29.7	21.5
Arkansas	72.6	97.6	74.3	42.6	53.5	22.8	26.2	19.6
Connecticut	87.2	98.6	88.8	62.6	73.0	62.1	53.4	46.4
Delaware	85.8	95.4	90.8	64.9	69.5	60.6	41.5	27.8
Florida	92.3	98.4	87.5	62.4	71.0	58.6	52.1	42.6
Georgia	73.1	95.2	67.2	43.2	55.1	29.1	25.1	17.7
Hawaii	82.2	96.8	85.2	51.4	54.0	54.8	23.0	20.4
Idaho	84.9	97.0	79.9	52.8	57.8	40.3	21.2	14.8
Illinois ^{††}	79.8	95.6	80.2	51.4	53.9	39.6	38.3	31.7
Indiana	87.2	98.1	77.2	55.2	64.9	42.7	20.6	11.2
Iowa	79.0	97.7	80.7	56.0	67.3	37.7	26.8	15.4
Kansas	71.0	94.3	75.5	49.7	55.5	31.7	26.2	23.2
Kentucky	79.4	94.3	71.9	55.3	67.1	28.0	24.9	18.9
Louisiana	69.1	94.1	75.2	45.2	49.9	18.7	23.2	16.1
Maine	88.8	99.1	93.6	65.3	78.5	70.9	54.9	48.2
Maryland	88.2	97.9	86.2	52.8	62.3	65.5	66.7	49.8
Massachusetts	97.8	99.5	95.5	74.6	84.9	75.2	70.2	64.8
Michigan	82.7	96.8	83.7	52.6	64.0	43.7	33.0	26.3
Minnesota	92.1	98.2	91.4	68.8	75.9	56.6	48.9	42.9
Mississippi	62.9	91.2	64.6	42.3	44.4	15.7	20.7	15.6
Missouri	83.2	97.5	78.8	53.5	59.3	30.9	29.3	23.5
Montana	73.7	95.7	76.9	50.0	55.0	21.5	19.2	12.7
Nebraska	68.7	94.2	72.1	55.9	60.9	23.6	18.9	13.1
Nevada	85.1	97.3	83.6	54.4	73.1	53.0	29.5	15.7
New Hampshire	87.4	98.4	91.8	69.5	80.6	50.8	59.4	54.6
New Mexico	85.3	96.0	83.1	70.3	73.1	39.2	41.2	30.9
New York	95.8	99.7	95.7	79.1	83.8	66.5	63.2	56.3
North Carolina	83.7	97.6	72.4	47.7	53.5	35.9	35.8	22.5
North Dakota	67.3	93.3	66.9	50.2	51.1	22.3	19.3	15.7
Ohio	77.6	94.5	72.7	50.9	57.8	35.4	23.5	17.3
Oklahoma	68.5	91.5	67.5	49.3	53.9	15.0	28.4	13.1
Oregon	90.7	98.8	88.6	67.6	76.4	55.7	52.4	41.9
Pennsylvania	86.2	96.6	82.0	55.5	62.4	45.3	37.3	30.5
Rhode Island	91.7	98.2	95.6	76.0	85.8	69.8	62.3	57.0
South Carolina	79.3	94.5	75.3	40.6	46.5	27.6	24.7	16.1
Tennessee	81.1	96.9	80.3	46.4	59.0	24.1	23.2	16.1
Texas	72.9	95.2	71.5	43.2	53.9	34.6	25.1	14.1
Utah	94.6	99.3	89.2	52.5	75.0	50.3	32.1	21.7
Vermont	92.7	100.0	93.4	71.5	78.2	55.5	77.4	70.9
Virginia	86.2	97.1	83.5	48.9	62.5	44.5	38.2	30.3
Washington	89.1	99.4	88.2	66.8	72.4	63.6	43.4	38.7

Table 43. Percentage of Secondary Schools That Have a Full-Time* Registered Nurse Who Provides Health Services to Students, the Percentage That Have a Part-Time† Registered Nurse Who Provides Health Services to Students, the Percentage That Have a School-Based Health Center‡ That Offers Health Services to Students, and the Percentage That Have a Protocol That Ensures Students with a Chronic Condition§ are Enrolled in Insurance Programs,¶ Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	Full-time registered nurse	Part-time registered nurse	School-based health center	Protocol that ensures students with a chronic condition are enrolled in insurance programs if eligible
STATE SURVEYS				
Alabama	93.6	17.8	16.7	69.6
Alaska	21.2	8.9	8.0	42.4
Arizona	48.2	20.8	28.4	52.6
Arkansas	87.5	21.4	25.3	71.9
Connecticut	97.0	29.9	36.2	76.7
Delaware	100.0	23.6	49.4	81.5
Florida	55.7	38.3	24.2	57.4
Georgia	64.7	24.0	24.9	62.8
Hawaii	26.4	11.8	26.6	61.2
Idaho	19.5	47.9	7.5	57.6
Illinois**	67.5	34.4	13.2	57.4
Indiana	82.2	30.3	20.9	53.2
Iowa	61.6	46.6	12.9	68.9
Kansas	49.3	49.5	11.5	50.7
Kentucky	67.4	34.7	45.3	60.8
Louisiana	52.3	60.0	28.6	60.1
Maine	59.7	44.1	14.3	67.6
Maryland	79.0	43.7	43.0	76.7
Massachusetts	97.7	29.4	28.8	81.5
Michigan	15.7	27.4	10.4	51.1
Minnesota	63.4	53.3	25.4	70.5
Mississippi	50.2	46.3	27.9	50.3
Missouri	79.8	27.3	21.3	63.9
Montana	14.0	45.7	15.0	50.5
Nebraska	45.0	53.9	22.4	69.4
Nevada	22.9	71.9	34.0	66.7
New Hampshire	95.7	20.3	20.5	70.2
New Mexico	54.4	47.0	34.9	77.2
New York	97.3	22.0	32.7	70.8
North Carolina	29.8	63.7	21.2	60.0
North Dakota	9.4	27.2	16.9	48.4
Ohio	49.2	48.2	18.3	62.0
Oklahoma	26.9	17.9	11.8	57.5
Oregon	11.1	69.1	27.3	67.7
Pennsylvania	86.9	38.6	22.3	79.5
Rhode Island	92.4	11.5	20.9	71.5
South Carolina	89.7	21.8	22.1	60.4
Tennessee	71.7	33.1	24.5	63.0
Texas	84.4	20.3	21.4	62.1
Utah	10.1	87.3	10.6	46.5
Vermont	77.1	29.9	26.2	73.7
Virginia	88.1	24.4	21.2	67.5
Washington	34.4	69.4	18.6	65.7

TABLE 46. Percentage of Secondary Schools That Provided Specific Sexual Health Services to Students, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	HIV ^a testing	STD ^b testing	Pregnancy testing	Provision of condoms	Provision of condom-compatible lubricants	Provision of contraceptives other than condoms	HPV ^c vaccine administration	Provided one or more of these services (performance measure)
STATE SURVEYS								
Alabama	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.9
Alaska	1.1	1.1	1.7	1.8	1.7	1.8	2.4	3.1
Arizona	0.5	0.5	1.9	1.4	0.5	1.0	2.9	5.4
Arkansas	1.5	2.0	7.8	3.2	0.5	1.5	2.0	9.8
Connecticut	5.8	8.0	9.5	7.9	4.2	4.6	6.3	10.7
Delaware	19.3	34.6	33.6	35.0	14.7	31.0	16.8	39.0
Florida	1.6	1.6	2.8	2.3	1.3	0.7	1.9	4.4
Georgia	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.3
Hawaii	0.0	0.0	1.0	0.0	0.0	0.0	1.0	2.1
Idaho	0.0	0.0	1.1	2.3	0.0	0.0	1.0	3.4
Illinois ^d	0.7	1.0	1.0	2.7	0.3	1.4	2.0	4.2
Indiana	0.3	0.7	2.7	0.7	0.0	0.0	3.0	5.4
Iowa	0.5	1.6	2.9	1.9	0.9	0.9	0.7	4.7
Kansas	0.5	0.5	1.6	0.9	0.0	0.5	0.5	2.5
Kentucky	4.2	4.2	11.1	4.1	2.8	4.2	10.0	14.0
Louisiana	2.9	5.2	4.6	0.6	0.6	1.2	6.3	7.6
Maine	1.0	1.9	4.9	10.8	4.8	1.9	1.4	12.6
Maryland	1.3	3.0	4.3	6.1	2.2	2.1	2.1	7.4
Massachusetts	3.6	4.1	5.6	12.7	4.8	3.8	2.8	13.7
Michigan	2.1	2.8	2.7	1.7	1.3	1.0	1.7	3.8
Minnesota	2.1	2.8	3.6	4.4	2.8	2.7	2.3	5.3
Mississippi	1.2	2.8	3.3	2.6	0.9	0.9	1.2	3.8
Missouri	0.4	0.4	2.1	1.8	0.7	0.7	2.3	4.5
Montana	0.8	0.8	1.2	2.1	1.2	0.8	2.5	3.9
Nebraska	1.7	1.7	2.6	1.7	1.7	1.7	3.5	3.9
Nevada	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
New Hampshire	0.0	0.6	3.0	3.0	0.0	0.6	0.5	5.9
New Mexico	11.2	16.3	20.9	21.6	13.1	11.7	14.5	28.9
New York	9.6	12.3	13.5	19.2	14.0	11.0	9.4	20.6
North Carolina	1.5	1.5	2.1	1.9	1.2	1.2	2.8	3.8
North Dakota	0.0	0.0	0.0	0.7	0.0	0.0	9.6	9.7
Ohio	3.1	4.2	5.6	5.4	3.1	2.9	4.8	10.0
Oklahoma	0.3	0.3	0.7	1.1	0.3	0.3	2.6	3.4
Oregon	4.8	5.3	5.3	7.6	4.3	4.8	6.2	9.7
Pennsylvania	2.0	4.1	3.6	4.6	1.7	1.3	2.0	7.2
Rhode Island	0.9	3.4	3.5	8.2	4.4	2.3	5.2	11.6
South Carolina	0.6	1.2	1.2	0.0	0.0	0.6	0.6	1.8
Tennessee	0.0	0.4	0.0	0.3	0.0	0.0	0.0	0.7
Texas	0.0	0.0	1.2	0.0	0.0	0.3	2.2	3.5
Utah	0.0	0.0	0.0
Vermont	0.7	1.6	8.3	24.2	6.3	0.8	3.9	27.0

TABLE 47. Percentage of Secondary Schools That Provided Students with Referrals to Any Organizations or Health Care Professionals Not on School Property for Specific Sexual Health Services, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	HIV ^a testing	STD ^b testing	Pregnancy testing	Provision of condoms	Provision of condom-compatible lubricants	Provision of contraceptives other than condoms	HPV ^c vaccine administration	Provided referrals for one or more of these services (performance measure)
STATE SURVEYS								
Alabama	11.4	11.3	12.4	8.3	6.8	7.6	16.5	20.3
Alaska	26.4	27.4	27.6	26.1	23.6	24.4	36.4	40.8
Arizona	15.1	15.4	16.7	12.7	12.6	13.2	23.3	25.5
Arkansas	28.9	30.6	33.4	24.7	22.6	24.7	36.6	41.5
Connecticut	31.9	32.7	34.2	30.1	27.6	29.5	35.1	43.3
Delaware	52.6	52.6	52.6	52.6	46.7	50.3	55.2	61.4
Florida	22.0	23.1	24.4	19.1	14.6	16.1	25.0	33.8
Georgia	22.2	22.6	23.8	16.6	16.8	16.9	28.0	32.2
Hawaii	19.0	19.4	22.2	17.1	14.2	16.8	26.7	32.2
Idaho	22.7	24.2	24.4	17.9	17.0	19.2	26.9	33.5
Illinois ^d	24.8	25.6	29.3	23.5	21.2	22.7	32.0	37.1
Indiana	27.0	26.9	30.2	18.0	16.9	18.4	32.1	39.2
Iowa	34.6	37.9	39.2	29.7	27.5	30.8	40.8	46.7
Kansas	25.2	26.2	26.9	19.6	17.6	21.3	32.9	38.6
Kentucky	36.2	42.1	42.0	35.7	33.2	35.4	46.7	52.8
Louisiana	18.4	19.7	21.0	13.3	10.7	13.0	25.5	28.9
Maine	38.0	39.2	38.9	36.7	36.5	36.5	43.9	45.3
Maryland	26.4	26.9	31.7	25.2	22.5	24.1	34.3	40.3
Massachusetts	42.0	43.8	45.1	40.7	36.9	40.3	47.4	52.3
Michigan	22.3	22.2	23.0	19.4	18.0	18.0	25.9	30.0
Minnesota	37.9	39.5	43.3	36.6	34.0	35.9	44.9	51.3
Mississippi	25.8	29.0	28.6	21.7	21.3	22.4	31.0	34.4
Missouri	30.8	31.8	33.8	24.4	23.5	25.2	44.1	47.2
Montana	28.2	29.6	30.5	24.6	23.4	25.0	35.5	41.0
Nebraska	25.7	26.1	27.9	20.9	20.5	20.6	33.8	37.9
Nevada	26.5	29.0	29.6	25.8	24.2	25.0	35.0	39.2
New Hampshire	31.0	32.8	34.7	29.0	26.9	28.1	38.8	42.4
New Mexico	52.8	54.7	57.1	53.4	51.8	52.1	58.8	64.3
New York	44.0	47.2	48.3	43.0	42.4	43.9	49.2	55.4
North Carolina	27.5	28.7	30.6	24.2	22.6	23.8	33.4	38.4
North Dakota	31.0	32.2	32.7	28.7	28.2	30.8	44.2	46.0
Ohio	34.9	36.2	35.6	30.7	28.9	31.0	42.1	45.9
Oklahoma	27.4	28.3	28.8	24.6	22.3	24.5	34.7	38.1
Oregon	40.5	41.9	43.2	40.1	39.3	40.7	46.7	50.7
Pennsylvania	26.1	27.8	29.7	23.4	23.2	24.3	32.8	38.9
Rhode Island	47.5	49.2	49.9	40.5	37.2	41.4	53.9	59.2
South Carolina	12.7	12.9	14.4	8.0	8.6	9.2	20.8	24.9
Tennessee	22.2	23.7	24.8	20.7	19.8	20.7	30.4	33.8
Texas	19.6	21.2	24.4	13.7	13.7	15.2	28.5	33.9
Utah	12.3	13.1	14.9	10.2	10.2	10.2	21.3	24.9
Vermont	43.5	47.0	47.6	42.8	39.2	46.6	50.5	56.0

TABLE 48. Percentage of Secondary Schools That Provided Specific Health Services to Students, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	HIV ^a treatment	STD ^a treatment	Prenatal care	Assessment for alcohol or other drug use, abuse, or dependency	Daily medication administration for students with chronic health conditions	Stock rescue or "as needed" medication for any student experiencing a health emergency ^b	Case management for students with chronic health conditions ^c (performance measure)
STATE SURVEYS							
Alabama	0.0	0.0	0.0	6.5	86.8	75.8	83.4
Alaska	1.7	1.1	1.7	17.4	59.0	49.2	40.0
Arizona	1.0	0.0	0.0	14.9	79.5	62.8	62.4
Arkansas	2.0	2.5	4.3	32.3	90.3	78.5	76.5
Connecticut	4.1	7.2	3.8	29.4	93.1	87.1	89.0
Delaware	23.8	32.9	16.1	54.5	89.4	89.4	82.9
Florida	1.0	1.0	1.3	13.6	86.0	59.9	67.2
Georgia	1.2	1.2	3.4	9.6	87.5	76.1	76.8
Hawaii	1.0	0.0	1.0	34.2	78.9	57.4	66.1
Idaho	0.0	0.0	3.0	25.1	78.7	69.8	68.7
Illinois ^d	1.3	1.0	1.4	17.4	91.1	80.2	90.1
Indiana	1.1	1.1	1.6	27.8	88.0	76.2	74.8
Iowa	1.4	1.6	0.8	9.7	88.3	71.1	74.1
Kansas	0.5	0.5	0.5	16.3	86.8	70.4	68.9
Kentucky	2.1	4.2	4.2	30.8	90.7	81.3	78.5
Louisiana	2.9	5.2	1.1	14.4	78.9	56.4	67.6
Maine	0.5	1.4	0.5	34.9	92.5	85.2	74.9
Maryland	1.8	3.0	2.5	34.4	92.5	86.2	88.3
Massachusetts	4.7	4.7	4.8	66.0	94.3	91.3	86.4
Michigan	1.7	2.0	1.3	14.5	81.1	71.2	59.4
Minnesota	1.2	2.4	3.2	17.2	86.7	74.0	79.0
Mississippi	1.6	2.8	2.1	13.7	79.9	69.2	68.2
Missouri	1.1	0.7	0.8	29.3	91.7	85.6	79.2
Montana	0.8	0.8	0.8	18.4	75.3	67.9	57.1
Nebraska	2.6	2.2	3.0	14.3	85.4	83.5	81.0
Nevada	0.0	0.0	0.0	25.9	84.7	78.0	73.6
New Hampshire	1.2	0.6	0.6	40.0	93.9	91.1	87.1
New Mexico	10.1	14.0	13.5	40.1	82.3	69.9	73.6
New York	8.5	10.4	7.9	37.5	88.5	79.7	72.2
North Carolina	1.5	1.5	1.5	10.4	83.6	73.3	78.2
North Dakota	0.0	0.0	0.0	10.0	84.9	65.7	64.8
Ohio	3.7	3.2	3.0	20.5	88.8	73.4	69.6
Oklahoma	0.3	0.3	1.2	19.7	77.7	59.6	66.6
Oregon	3.6	5.3	3.3	24.6	84.8	75.7	81.8
Pennsylvania	0.9	1.9	3.4	50.2	85.1	81.2	73.9
Rhode Island	1.8	3.4	4.4	42.0	89.6	86.5	84.2
South Carolina	1.3	0.6	0.0	6.1	83.4	76.5	72.6
Tennessee	0.7	0.4	0.7	12.7	91.8	80.7	82.6
Texas	0.0	0.0	1.9	26.2	88.7	72.2	79.3
Utah	0.0	0.0	0.0	15.7	79.9	80.3	80.8
Vermont	0.7	1.7	3.2	49.0	95.7	91.4	89.4

TABLE 49. Percentage of Secondary Schools That Provided Students with Referrals to Any Organizations or Health Care Professionals Not on School Property for Specific Health Services, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Sites	HIV treatment ^a	nPEP ^b	PrEP ^c	STD ^d treatment	Prenatal care	Alcohol or other drug abuse treatment
STATE SURVEYS						
Alabama	20.5	18.2	16.3	10.7	10.9	33.1
Alaska	34.7	33.0	32.4	25.2	27.6	51.4
Arizona	23.5	20.9	20.9	15.4	15.7	37.0
Arkansas	35.9	34.3	34.3	30.1	34.4	50.9
Connecticut	35.1	30.9	30.1	33.3	30.6	54.2
Delaware	52.2	49.2	49.2	52.6	47.8	68.2
Florida	27.8	24.7	24.7	21.1	20.6	55.2
Georgia	28.7	27.5	27.5	22.4	24.0	39.2
Hawaii	24.4	21.5	22.6	19.1	19.5	62.7
Idaho	29.1	27.3	27.7	23.4	23.0	48.2
Illinois ^e	30.7	27.9	28.9	26.2	27.8	51.8
Indiana	31.6	26.4	27.1	26.2	28.9	55.6
Iowa	39.0	36.2	35.7	34.7	36.2	58.6
Kansas	29.9	28.0	27.4	23.9	24.1	57.7
Kentucky	41.1	38.9	37.6	40.7	40.9	62.8
Louisiana	24.9	21.4	21.4	19.7	20.6	40.5
Maine	43.4	43.5	42.5	39.2	36.9	62.1
Maryland	33.9	29.9	30.5	26.5	27.7	66.6
Massachusetts	45.5	40.5	39.6	43.4	43.7	70.4
Michigan	26.6	24.9	24.9	21.8	22.7	54.0
Minnesota	43.8	41.8	41.5	37.9	41.5	64.2
Mississippi	31.9	29.5	29.0	28.0	27.8	40.2
Missouri	39.0	35.6	35.5	31.6	33.5	56.5
Montana	34.0	32.0	32.0	28.7	27.0	54.0
Nebraska	34.0	33.6	32.7	26.0	26.3	56.8
Nevada	32.4	30.3	29.5	27.9	27.7	66.6
New Hampshire	36.1	35.4	35.4	31.2	32.5	57.0
New Mexico	58.6	57.1	56.6	54.4	54.7	72.9
New York	47.7	46.2	46.1	46.5	45.4	67.0
North Carolina	31.8	30.3	30.0	27.6	31.5	56.8
North Dakota	39.4	36.0	36.6	33.1	34.4	56.9
Ohio	40.4	37.7	37.7	35.4	36.5	63.5
Oklahoma	33.1	31.0	31.1	27.0	27.3	52.0
Oregon	45.4	41.1	42.7	41.3	42.3	69.1
Pennsylvania	29.7	26.7	26.5	27.4	31.4	71.3
Rhode Island	50.5	46.1	45.2	44.7	47.3	69.0
South Carolina	17.2	15.6	16.3	11.3	15.4	48.4
Tennessee	30.3	29.7	29.3	23.2	24.5	45.4
Texas	25.8	23.7	23.2	20.9	25.5	50.0
Utah	19.3	18.0	17.8	13.1	15.8	53.7
Vermont	48.9	44.5	43.5	46.5	44.0	71.1
Virginia	25.3	23.0	23.0	19.8	20.7	47.0

TABLE 50a. Percentage of Secondary Schools with Specific Parental Consent and Notification Practices for Sexual or Reproductive Health Services* Provided by the School, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	Does not provide any sexual or reproductive health services	Requires parental consent before any services are provided	Does not require parental consent			
			Notifies parents about services provided upon request	Notifies parents depending on the service provided	Notifies parents about all services provided	Does not notify parents about any services provided
STATE SURVEYS						
Alabama	92.8	6.2	0.0	1.1	0.0	0.0
Alaska	82.5	13.1	0.0	1.3	2.0	1.2
Arizona	85.5	12.5	0.6	0.5	0.5	0.5
Arkansas	84.6	8.9	1.6	3.3	0.6	1.0
Connecticut	79.5	8.5	2.9	3.4	3.7	1.9
Delaware	57.0	30.4	2.1	2.1	3.1	5.2
Florida	84.4	11.1	0.0	1.6	2.0	0.9
Georgia	87.3	9.8	0.6	2.2	0.0	0.0
Hawaii	79.3	12.6	0.0	4.8	1.2	2.2
Idaho	88.4	7.0	1.2	1.2	1.2	1.2
Illinois†	81.2	9.0	2.5	2.6	2.9	1.9
Indiana	81.1	10.8	1.5	1.7	4.4	0.4
Iowa	80.7	8.7	1.3	3.0	4.6	1.6
Kansas	90.4	6.0	0.6	1.6	1.3	0.0
Kentucky	72.9	17.5	0.9	2.5	0.8	5.3
Louisiana	80.0	17.8	1.0	0.5	0.5	0.0
Maine	78.1	7.6	2.7	6.1	1.7	3.8
Maryland	82.0	10.1	4.1	2.4	1.0	0.4
Massachusetts	73.4	10.1	4.7	5.6	2.9	3.3
Michigan	76.3	16.1	0.8	2.2	4.6	0.0
Minnesota	88.5	3.2	1.2	3.3	2.4	1.2
Mississippi	83.3	13.7	0.0	1.7	1.4	0.0
Missouri	88.0	8.5	0.7	1.2	1.2	0.4
Montana	87.6	7.4	0.0	3.8	0.8	0.4
Nebraska	82.0	12.6	1.3	0.9	1.6	1.6
Nevada	86.9	10.9	0.0	1.5	0.7	0.0
New Hampshire	87.3	7.8	0.6	2.5	1.2	0.6
New Mexico	65.7	13.8	5.0	4.1	2.1	9.4
New York	70.8	12.0	6.2	2.5	4.2	4.3
North Carolina	73.6	22.0	0.7	1.2	1.3	1.3
North Dakota	89.5	6.0	0.7	1.5	0.8	1.6
Ohio	81.4	11.1	1.6	2.1	2.4	1.2
Oklahoma	75.6	20.5	0.0	2.3	1.6	0.0
Oregon	84.1	4.4	1.7	2.2	2.6	5.0
Pennsylvania	84.3	5.7	1.0	4.0	2.9	2.1
Rhode Island	70.5	14.9	1.0	8.8	3.3	1.5
South Carolina	86.4	11.7	0.6	1.2	0.0	0.0
Tennessee	84.5	13.3	0.4	0.7	1.1	0.0
Texas	83.1	12.5	0.6	2.4	1.1	0.3
Utah	89.2	10.8	0.0	0.0	0.0	0.0

TABLE 50b. Percentage of Secondary Schools with Specific Parental Consent and Notification Practices for Sexual or Reproductive Health Services* Referred by the School, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	Does not refer any sexual or reproductive health services	Requires parental consent before any services are referred	Does not require parental consent			
			Notifies parents about services referred upon request	Notifies parents depending on the service referred	Notifies parents about all services referred	Does not notify parents about any services referred
STATE SURVEYS						
Alabama	81.3	7.4	1.2	8.8	1.3	0.0
Alaska	66.9	18.9	1.5	7.5	2.3	2.9
Arizona	75.3	17.8	0.7	3.4	1.1	1.7
Arkansas	63.1	23.8	4.1	6.0	0.0	3.1
Connecticut	59.3	17.0	4.0	8.7	4.9	5.9
Delaware	39.8	40.2	5.9	8.2	0.0	5.9
Florida	69.1	20.7	2.7	4.9	1.2	1.5
Georgia	72.1	22.5	2.4	3.0	0.0	0.0
Hawaii	65.7	14.5	2.7	9.4	1.3	6.4
Idaho	68.9	15.7	4.2	6.2	1.3	3.7
Illinois [†]	67.4	15.0	4.0	5.0	3.2	5.4
Indiana	61.9	26.3	1.4	4.3	3.8	2.2
Iowa	55.2	23.2	2.0	11.8	1.8	6.0
Kansas	66.3	21.4	2.0	8.3	1.2	0.7
Kentucky	48.2	33.5	3.9	5.9	1.9	6.7
Louisiana	66.1	27.3	0.7	4.5	0.6	0.8
Maine	54.5	18.1	5.5	14.0	1.2	6.7
Maryland	62.2	16.0	7.7	8.3	0.5	5.3
Massachusetts	47.5	18.9	8.1	14.8	1.9	8.8
Michigan	68.1	19.7	4.4	5.8	2.0	0.0
Minnesota	51.6	15.3	8.1	14.3	2.4	8.3
Mississippi	66.9	22.7	2.0	3.9	2.6	1.8
Missouri	59.0	26.1	1.3	6.8	3.6	3.2
Montana	65.2	16.1	3.3	8.6	2.4	4.4
Nebraska	64.0	25.0	0.5	4.9	4.0	1.5
Nevada	61.1	25.3	3.0	7.0	1.7	1.9
New Hampshire	58.4	21.3	4.7	14.2	0.0	1.4
New Mexico	38.7	19.0	11.1	14.4	1.6	15.1
New York	49.2	18.1	9.4	8.3	1.9	13.1
North Carolina	57.2	30.5	3.0	4.4	2.1	2.7
North Dakota	63.4	16.2	6.2	9.9	2.5	1.7
Ohio	56.2	21.0	5.3	10.6	3.5	3.3
Oklahoma	59.5	32.8	2.6	2.5	1.6	0.9
Oregon	55.0	14.4	7.6	11.9	2.5	8.5
Pennsylvania	63.5	16.8	5.4	6.2	3.4	4.6
Rhode Island	44.3	25.6	4.2	17.6	3.1	5.2
South Carolina	75.9	21.4	0.7	0.7	0.7	0.7
Tennessee	71.2	21.2	1.6	3.8	0.4	1.7
Texas	66.8	26.9	2.4	2.3	1.5	0.0
Utah	80.5	17.8	0.8	0.8	0.0	0.0

TABLE 51. Percentage of Secondary Schools in Which Staff Received Professional Development for Student Health Services During the Past Two Years, Selected U.S. Sites: School Health Profiles, Principal and Lead Health Education Teacher Surveys, 2020

Sites	Basic sexual health overview including community-specific information*	Sexual health services that adolescents should receive	Laws and policies related to adolescent sexual health services	Importance of maintaining student confidentiality for sexual health services	How to create or use a student referral guide for sexual health services	How to make successful referrals of students to sexual health services	Best practices for adolescent sexual health services provision	Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	All 8 topics (performance measure)
STATE SURVEYS									
Alabama	24.3	23.5	32.3	39.6	15.9	16.8	17.7	18.7	11.1
Alaska	31.0	28.1	37.5	50.3	19.2	21.6	26.3	29.1	16.5
Arizona	14.6	10.1	17.4	28.1	6.0	7.6	8.1	12.3	4.1
Arkansas	31.2	28.1	32.8	48.0	19.5	21.5	19.7	23.0	15.3
Connecticut	41.1	35.0	42.4	51.2	22.2	25.2	27.3	38.3	17.6
Delaware	57.1	57.1	52.3	63.1	33.1	42.5	36.6	49.5	29.1
Florida	41.7	36.6	37.8	49.1	26.0	29.2	30.6	39.1	22.3
Georgia	34.8	29.2	31.9	38.9	21.4	21.3	20.7	22.8	17.2
Hawaii	42.7	40.1	37.5	43.1	17.3	22.1	24.2	30.6	15.3
Idaho	29.2	22.8	30.7	38.9	14.0	17.0	17.1	22.7	9.3
Illinois [†]	51.1	39.1	48.5	55.5	22.8	25.8	29.7	37.8	18.0
Indiana	35.1	32.2	39.8	43.4	19.2	22.4	23.4	30.0	15.3
Iowa	25.6	20.4	21.3	33.9	14.1	15.8	17.4	22.7	9.9
Kansas	31.4	23.6	26.1	39.1	12.8	17.2	18.1	18.9	10.8
Kentucky	29.0	27.5	28.9	42.5	19.8	23.6	21.5	24.1	16.4
Louisiana	23.9	22.2	30.9	38.4	14.9	18.5	17.6	21.9	10.1
Maine	41.9	37.7	41.2	51.4	27.9	33.6	32.8	41.1	24.8
Maryland	48.9	43.0	46.3	56.7	28.4	31.7	36.4	38.6	23.7
Massachusetts	47.5	47.8	52.3	61.7	37.4	37.9	43.4	54.8	29.3
Michigan	51.7	41.7	48.8	49.4	22.0	23.6	30.4	32.8	18.5
Minnesota	36.9	34.9	36.8	46.4	25.4	29.0	29.7	37.0	20.3
Mississippi	26.8	24.9	28.2	41.9	21.1	23.4	18.9	20.0	15.6
Missouri	28.5	24.9	30.4	48.3	14.4	17.5	18.4	26.5	9.9
Montana	35.9	28.7	29.2	40.1	17.6	21.8	18.3	22.9	12.7
Nebraska	28.4	27.3	39.3	46.3	21.1	22.9	22.0	22.6	14.5
Nevada	36.8	29.5	31.5	40.5	22.9	23.8	25.4	28.6	18.7
New Hampshire	50.2	48.6	48.5	61.5	26.4	34.8	39.8	48.2	23.3
New Mexico	40.2	40.0	43.0	58.9	30.6	38.4	35.3	42.5	21.7
New York	56.5	52.1	52.3	55.7	37.0	42.9	43.4	52.9	31.2
North Carolina	38.1	30.9	35.4	42.1	21.8	24.2	26.1	29.8	18.2
North Dakota	21.9	20.3	19.4	30.2	14.1	17.0	17.1	18.4	10.7
Ohio	30.3	27.2	33.6	41.7	20.2	21.6	22.8	27.3	16.1
Oklahoma	41.4	28.7	37.5	50.6	23.0	27.7	23.7	25.5	17.9
Oregon	43.3	32.7	46.6	52.9	25.2	30.8	30.1	37.4	18.6
Pennsylvania	28.0	26.3	28.6	38.9	15.6	17.1	19.3	25.8	12.3
Rhode Island	49.9	48.8	54.1	56.2	38.4	44.5	46.1	51.2	35.6
South Carolina	47.9	38.4	41.3	49.2	23.5	26.5	26.6	30.4	21.5
Tennessee	33.9	27.6	33.2	43.6	23.0	27.9	24.4	27.5	17.2
Texas	39.6	36.6	40.6	51.8	21.2	23.0	24.5	23.9	16.0
Utah	51.1	40.1	50.2	47.8	16.7	17.6	20.2	28.2	11.7

TABLE 52a. Percentage of Secondary Schools That Implemented Activities to Communicate with Parents and Families, Selected U.S. Sites: School Health Profiles, Principal and Lead Health Education Teacher Surveys, 2020

Site	Provided parents with information to support parent-adolescent communication about sex	Provided parents with information to support parent-adolescent communication about topics other than sex	Provided parents with information about how to monitor their teen	Provided parents with information to support one-on-one time between adolescents and their health care providers	Provided parents and families with health information on HIV ^a , other STD ^b , or pregnancy prevention	Provided parents with information on all 5 topics (performance measure)
STATE SURVEYS						
Alabama	14.5	36.9	49.8	24.4	32.8	3.1
Alaska	20.1	41.6	40.1	18.4	15.1	0.5
Arizona	16.2	31.5	33.3	13.5	12.0	1.0
Arkansas	18.2	44.9	55.0	26.0	41.5	7.7
Connecticut	18.4	39.4	52.3	21.6	20.3	2.5
Delaware	32.8	48.1	56.8	41.4	35.7	5.3
Florida	17.1	44.4	49.3	17.3	26.3	2.3
Georgia	26.6	49.8	54.2	27.2	23.5	2.0
Hawaii	23.3	55.1	46.4	14.8	26.5	2.9
Idaho	18.2	45.0	44.3	16.8	19.2	1.0
Illinois ^c	21.0	47.0	46.2	18.4	27.0	2.1
Indiana	23.6	44.5	45.3	20.7	24.5	0.7
Iowa	25.4	51.0	41.1	19.3	17.4	1.5
Kansas	16.3	47.0	34.9	14.1	20.6	1.4
Kentucky	18.5	53.7	54.5	24.9	25.1	4.5
Louisiana	10.4	24.7	32.1	16.6	12.3	0.6
Maine	26.2	55.0	51.6	21.7	19.3	2.1
Maryland	33.8	57.7	54.7	27.3	41.5	3.8
Massachusetts	34.9	65.7	63.4	33.3	29.3	5.1
Michigan	26.4	51.0	50.1	17.0	41.7	2.4
Minnesota	27.3	47.1	43.7	18.1	25.4	2.9
Mississippi	20.6	41.5	42.7	19.1	31.1	3.7
Missouri	17.1	46.4	41.6	16.6	28.3	1.8
Montana	21.1	44.3	42.0	11.6	15.1	0.7
Nebraska	18.8	45.0	45.0	23.4	22.4	3.6
Nevada	18.1	40.8	43.6	23.0	30.0	2.2
New Hampshire	29.2	63.4	60.0	25.0	31.6	5.5
New Mexico	26.1	45.8	40.5	25.4	33.8	5.8
New York	40.0	63.4	67.5	36.1	47.6	11.3
North Carolina	14.7	39.7	38.5	17.2	28.8	1.7
North Dakota	20.5	46.0	53.3	18.4	23.4	2.0
Ohio	19.0	37.7	46.5	17.6	28.0	4.7
Oklahoma	18.2	33.2	31.6	19.8	35.1	1.2
Oregon	34.9	54.4	48.6	16.5	35.9	2.8
Pennsylvania	12.2	37.9	51.9	19.6	19.5	2.3
Rhode Island	28.2	54.7	63.0	35.9	30.0	2.1
South Carolina	16.5	46.7	48.7	17.6	27.7	3.1
Tennessee	23.1	54.3	51.6	28.7	26.4	3.9
Texas	23.7	50.8	52.4	22.7	33.5	1.4
Utah	21.0	52.1	53.4	19.8	22.7	0.6

TABLE 53. Percentage of Secondary Schools That Participated in Service-Learning or Mentoring Programs, Selected U.S. Sites: School Health Profiles, Principal and Lead Health Education Teacher Surveys, 2020

Site	School-based positive youth development programs ^a		Community-based positive youth development programs ^b		Participated in service-learning or mentoring programs (performance measure)
	Implements service-learning programs	Implements mentoring programs in which family or community members serve as role models to students or mentor students	Connects students to service learning programs	Connects students to mentoring programs in which family or community members serve as role models to students or mentor students	
STATE SURVEYS					
Alabama	55.9	48.1	50.6	49.0	69.2
Alaska	53.8	38.6	45.0	41.2	68.6
Arizona	58.4	34.6	46.5	35.8	67.4
Arkansas	72.0	49.6	55.9	47.8	82.5
Connecticut	59.3	62.7	61.6	66.6	82.1
Delaware	71.1	72.2	62.2	74.0	90.3
Florida	72.6	80.8	62.1	70.2	90.0
Georgia	67.1	79.7	62.9	77.2	93.1
Hawaii	73.0	60.0	63.9	63.6	86.9
Idaho	56.0	51.2	48.0	44.6	73.8
Illinois ^c	50.0	46.2	42.2	42.2	71.6
Indiana	66.9	63.9	63.2	66.0	86.3
Iowa	54.3	46.6	48.5	49.9	77.3
Kansas	57.5	41.9	49.4	43.3	79.0
Kentucky	68.1	64.6	59.2	57.1	83.0
Louisiana	54.5	47.0	53.5	50.4	70.4
Maine	60.2	54.2	49.7	52.7	79.6
Maryland	89.2	70.9	75.5	71.3	95.0
Massachusetts	59.8	58.2	60.2	62.5	82.8
Michigan	56.6	51.9	45.1	49.8	75.5
Minnesota	54.5	48.0	53.7	53.8	73.2
Mississippi	55.0	51.4	52.3	52.3	74.9
Missouri	55.7	49.2	47.9	44.5	74.6
Montana	57.2	55.6	41.7	48.3	73.0
Nebraska	51.4	73.2	46.8	67.9	84.4
Nevada	58.1	45.6	57.4	48.4	78.8
New Hampshire	56.9	47.4	52.8	51.0	76.0
New Mexico	59.2	49.3	50.6	52.4	75.9
New York	72.0	61.5	67.8	60.9	84.9
North Carolina	54.7	55.8	57.0	58.5	78.4
North Dakota	51.0	41.2	43.8	45.5	68.3
Ohio	57.5	58.4	55.6	59.9	78.4
Oklahoma	54.7	41.3	49.5	39.6	69.7
Oregon	52.8	55.4	43.7	50.5	75.7
Pennsylvania	54.2	46.4	53.3	47.9	71.9
Rhode Island	62.5	63.6	55.0	63.7	79.0
South Carolina	76.6	71.5	57.7	65.6	91.6
Tennessee	58.1	54.4	53.4	54.1	76.5
Texas	63.2	58.7	49.4	51.4	78.8
Utah	52.9	37.8	43.1	43.0	65.6

TABLE 54. Percentage of Secondary Schools That Had Someone Who Oversees or Coordinates School Health and Safety Programs and Activities and the Percentage That Ever Used the School Health Index or Other Self-Assessment Tool to Assess School Policies, Activities, and Programs in Specific Areas, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	Had someone who oversees or coordinates school health and safety programs and activities	Ever used the School Health Index or other self-assessment tool						
		Physical education and physical activity	Nutrition	Tobacco-use prevention	Alcohol- and other drug-use prevention	Chronic health conditions	Unintentional injury and violence prevention	Sexual health, including HIV,* other STD,* and pregnancy prevention
STATE SURVEYS								
Alabama	86.7	39.5	38.9	40.0	42.6	35.7	35.0	31.0
Alaska	62.3	36.1	35.5	37.9	37.3	24.4	27.8	29.0
Arizona	78.9	38.5	37.3	36.7	36.3	25.5	26.0	18.9
Arkansas	96.6	89.3	90.6	87.0	86.1	73.8	73.3	73.5
Connecticut	87.6	61.3	50.7	47.5	49.1	39.5	41.2	43.9
Delaware	91.9	56.3	67.9	68.9	68.0	53.4	41.4	55.4
Florida	92.7	60.7	55.4	54.6	54.0	40.4	44.8	41.9
Georgia	89.3	58.0	58.5	56.8	56.7	43.2	50.2	48.4
Hawaii	91.5	69.4	61.5	55.9	57.0	44.6	47.5	48.1
Idaho	87.8	38.3	38.1	37.6	38.4	29.6	31.6	24.7
Illinois [†]	86.1	46.0	42.0	41.4	42.1	37.2	36.0	36.5
Indiana	91.0	38.0	39.2	45.8	45.9	22.4	31.0	34.3
Iowa	85.4	36.8	37.1	35.8	35.8	24.9	30.5	33.2
Kansas	86.2	37.9	38.0	41.2	40.3	27.4	31.2	32.1
Kentucky	91.7	69.9	65.4	62.9	60.7	48.1	52.5	48.8
Louisiana	83.5	62.0	58.9	55.5	55.7	38.3	45.7	32.3
Maine	80.7	49.0	51.3	53.7	52.1	29.9	33.6	42.3
Maryland	89.1	57.0	54.5	48.6	47.3	39.7	39.0	37.5
Massachusetts	89.8	59.3	57.2	59.9	59.7	48.0	48.3	52.4
Michigan	83.5	48.2	48.1	45.9	46.5	33.8	37.2	47.2
Minnesota	90.8	48.1	47.4	48.7	49.0	37.5	38.2	42.4
Mississippi	88.7	64.5	64.9	64.4	62.2	53.9	50.3	51.5
Missouri	94.7	52.2	53.4	50.5	51.4	41.9	46.5	40.9
Montana	91.2	52.8	51.5	58.9	58.8	38.7	47.6	49.6
Nebraska	96.1	54.5	53.6	52.8	53.7	40.6	41.4	45.0
Nevada	81.6	43.9	37.9	43.6	42.3	28.1	30.1	35.7
New Hampshire	94.3	54.0	55.2	53.2	54.1	41.1	44.6	43.4
New Mexico	86.6	51.2	51.7	53.2	53.6	42.9	47.4	46.6
New York	92.6	57.4	50.4	49.4	51.9	37.9	40.6	47.9
North Carolina	87.3	37.9	32.7	31.3	31.9	28.3	28.5	25.3
North Dakota	90.6	49.4	48.6	53.5	52.6	36.1	40.3	41.0
Ohio	82.1	45.8	43.0	41.9	42.5	31.9	34.4	36.5
Oklahoma	93.7	56.8	60.5	54.3	55.2	39.8	40.0	42.1
Oregon	89.8	38.9	35.6	40.3	42.9	25.3	30.9	37.9
Pennsylvania	76.9	42.8	41.3	38.0	39.0	32.4	34.4	31.8
Rhode Island	85.1	62.1	59.5	57.2	62.2	54.9	54.4	56.0
South Carolina	91.3	49.3	48.5	47.5	48.8	39.2	39.5	41.8
Tennessee	90.6	75.0	65.7	62.1	60.7	52.6	52.4	48.9
Texas	95.0	52.9	45.7	46.4	46.3	37.2	39.9	39.8
Utah	87.2	40.3	41.3	48.7	51.0	34.6	38.1	35.8

TABLE 55. Percentage of Secondary Schools That Had One or More School Health Councils,* and Among Schools with Councils, the Percentage That Did Specific Activities During the Past Year, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	School health council	Activities [†]				
		Identified student health needs based on review of relevant data	Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	Sought funding or leveraged resources to support health and safety priorities for students and staff	Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	Reviewed health-related curricula or instructional materials
STATE SURVEYS						
Alabama	33.1	83.1	85.0	75.4	92.2	82.5
Alaska	26.2	68.2	67.6	63.7	88.4	79.9
Arizona	42.1	81.0	83.6	64.7	86.0	75.3
Arkansas	75.3	84.4	80.0	56.9	84.5	83.8
Connecticut	59.5	77.4	82.2	68.8	91.2	89.2
Delaware	64.9	85.3	85.1	86.7	91.1	83.0
Florida	51.1	68.5	73.2	47.6	84.8	76.6
Georgia	54.6	86.1	85.8	69.5	93.7	85.9
Hawaii	66.5	75.9	85.5	61.1	80.9	78.3
Idaho	43.7	79.0	78.3	73.3	92.1	80.8
Illinois [‡]	50.3	72.7	69.9	59.4	83.8	82.9
Indiana	54.9	78.9	83.4	73.2	88.4	78.3
Iowa	52.7	76.5	69.9	56.7	78.7	77.0
Kansas	53.3	69.9	78.3	63.0	78.7	68.3
Kentucky	63.9	75.9	80.0	70.3	86.7	80.1
Louisiana	41.5	73.5	80.0	50.3	89.1	84.4
Maine	51.9	70.7	75.7	67.4	87.0	77.6
Maryland	60.4	77.6	73.6	61.7	75.4	79.7
Massachusetts	70.6	89.2	82.7	74.9	89.1	89.6
Michigan	57.0	77.8	74.4	74.8	83.0	87.4
Minnesota	62.5	74.5	81.4	76.6	87.2	74.6
Mississippi	64.6	75.1	81.0	59.1	93.9	82.8
Missouri	57.5	79.8	77.2	64.7	87.7	83.7
Montana	55.8	83.0	77.3	65.6	87.8	80.9
Nebraska	64.6	70.4	70.7	53.5	87.8	72.8
Nevada	36.2	73.1	59.2	54.5	67.2	80.9
New Hampshire	74.8	78.0	76.9	70.3	91.7	89.4
New Mexico	55.0	80.6	82.5	52.1	92.0	73.3
New York	68.1	79.3	85.4	66.8	90.0	88.5
North Carolina	48.0	76.7	70.5	58.0	81.4	82.2
North Dakota	44.4	73.1	69.3	60.0	86.6	75.3
Ohio	46.9	73.3	79.4	67.5	85.0	78.1
Oklahoma	68.4	71.8	82.5	56.6	89.1	69.5
Oregon	46.3	86.2	75.2	70.7	83.0	86.5
Pennsylvania	51.1	86.3	86.8	75.6	90.8	89.4
Rhode Island	62.0	90.9	81.8	67.2	92.7	95.5
South Carolina	63.2	78.7	69.5	65.0	84.6	76.7
Tennessee	62.3	89.3	79.1	69.6	85.2	80.4
Texas	70.2	77.3	83.7	58.0	87.5	73.4
Utah	52.7	83.4	75.8	70.3	91.5	91.4
Vermont	72.7	79.7	76.5	77.1	87.3	80.9

TABLE 56. Percentage of Secondary Schools with a School Improvement Plan (SIP) That Includes Health-Related Objectives on Specific Topics and the Percentage That Reviewed School Health and Safety Data* in the Past Year as Part of the School's Improvement Planning Process,[†] Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	Health education	Physical education	Physical activity	School meal programs	Foods and beverages available at school outside the school meal programs	Health services	Counseling, psychological, and social services	Physical environment	Social and emotional climate	Family engagement	Community involvement	Employee wellness	Reviewed health and safety data as part of school's improvement planning process
STATE SURVEYS													
Alabama	28.8	31.7	25.7	27.7	23.3	33.2	55.4	52.1	67.5	77.2	76.8	36.0	41.7
Alaska	29.2	26.7	24.6	26.6	20.6	24.0	38.4	37.1	69.9	68.9	70.2	24.1	63.4
Arizona	24.4	26.1	24.4	27.7	19.6	28.7	56.9	40.1	70.9	70.8	71.5	37.6	46.6
Arkansas	75.6	73.7	72.1	71.3	62.1	71.2	72.4	64.3	69.8	79.3	77.6	59.1	73.1
Connecticut	38.9	44.1	36.2	27.3	21.3	33.0	66.7	48.8	85.6	82.3	73.1	45.1	72.6
Delaware	34.3	35.4	35.3	31.8	25.9	52.0	67.4	48.9	77.7	77.7	75.6	48.9	64.1
Florida	18.0	16.8	12.5	13.1	9.7	20.8	52.8	37.1	69.5	77.1	71.5	21.3	51.6
Georgia	29.6	25.7	21.0	19.5	14.9	28.0	61.7	52.5	72.8	77.2	73.6	33.4	64.9
Hawaii	48.6	49.5	44.7	33.5	27.0	45.1	66.7	45.9	77.3	78.2	68.7	43.0	64.9
Idaho	33.2	33.0	31.7	33.0	30.6	31.9	46.4	48.0	65.8	69.0	63.8	40.6	49.7
Illinois [†]	32.6	30.4	25.6	25.4	16.0	33.5	55.2	45.5	71.2	63.1	57.6	35.3	65.6
Indiana	31.2	29.4	19.4	19.6	17.2	30.1	60.6	46.6	73.4	66.6	64.7	25.5	40.6
Iowa	43.7	44.4	37.8	42.6	37.1	43.3	51.4	46.8	65.5	54.7	56.4	45.0	67.9
Kansas	46.9	44.5	40.1	44.8	43.3	42.5	60.1	51.4	70.0	64.2	62.8	47.1	62.0
Kentucky	42.8	43.5	35.0	34.5	32.7	43.6	55.2	47.7	60.2	70.0	66.6	35.5	63.6
Louisiana	28.5	30.4	25.1	26.6	20.8	29.2	43.6	38.9	58.6	76.3	71.3	23.8	42.5
Maine	23.7	23.5	21.0	23.1	22.5	24.1	31.6	27.0	38.1	33.8	33.1	25.9	76.2
Maryland	28.3	25.7	27.9	18.6	15.7	29.0	60.1	46.2	84.9	73.6	67.7	43.2	52.4
Massachusetts	40.1	27.9	27.1	17.9	15.5	41.3	75.2	53.0	88.7	81.4	75.2	35.8	77.1
Michigan	28.4	26.4	21.5	19.3	13.9	28.0	59.4	41.7	74.4	69.2	64.9	26.3	56.6
Minnesota	25.3	24.9	22.5	23.9	23.1	25.4	38.6	33.5	55.6	40.8	37.7	33.7	64.7
Mississippi	49.3	49.0	45.3	46.6	42.3	46.4	58.0	53.4	58.0	63.1	62.5	45.7	59.9
Missouri	46.8	46.8	40.6	41.9	35.8	44.8	62.7	57.7	70.0	72.7	74.4	50.6	54.7
Montana	50.0	48.7	39.9	46.7	40.9	40.6	57.1	51.3	63.7	65.3	63.1	44.2	82.2
Nebraska	40.8	37.9	36.1	31.4	30.4	39.5	52.7	40.2	64.9	53.9	55.3	47.8	58.9
Nevada	10.7	10.7	10.8	14.2	9.3	17.2	48.0	32.9	73.8	89.3	77.9	19.3	60.8
New Hampshire	19.1	17.2	21.1	19.3	19.1	20.5	25.6	23.0	28.1	24.8	26.2	24.3	85.8
New Mexico	45.9	46.3	42.0	48.8	40.0	52.1	57.0	49.4	60.3	59.7	57.7	42.4	71.5
New York	32.5	32.3	30.5	30.1	27.5	33.7	39.5	33.3	43.3	42.0	39.2	30.7	76.5
North Carolina	24.9	20.9	23.8	15.1	11.7	27.9	69.0	46.8	82.4	80.5	77.7	36.5	43.3
North Dakota	40.3	39.0	35.7	36.3	32.4	40.3	67.9	55.4	81.0	72.9	70.0	48.6	69.2
Ohio	26.4	25.0	20.7	25.9	20.2	27.0	46.2	35.4	58.8	51.0	51.0	26.0	60.3
Oklahoma	45.7	47.4	44.6	46.5	43.3	42.1	50.8	43.6	47.1	47.9	49.1	39.8	64.7
Oregon	31.7	31.5	24.6	21.1	17.0	37.5	62.9	44.0	78.9	75.2	69.4	28.4	62.4
Pennsylvania	18.6	18.5	14.8	17.8	13.7	20.9	32.8	24.6	36.4	39.7	37.2	18.2	59.9
Rhode Island	37.8	29.2	33.8	27.8	22.9	43.8	63.0	55.2	83.6	81.1	79.5	41.0	71.0
South Carolina	41.3	39.3	35.0	32.4	30.1	38.4	58.8	64.4	71.9	76.3	77.0	45.0	54.1
Tennessee	40.8	42.6	43.8	32.3	27.1	44.3	73.3	59.1	81.2	88.4	87.7	37.2	59.3
Texas	58.1	55.1	50.5	44.9	38.9	57.5	82.4	70.4	87.4	91.2	91.6	54.9	58.9
Utah	32.6	24.7	19.6	16.8	14.5	28.3	68.7	45.0	81.5	42.3	46.9	30.8	65.7
Vermont	28.8	24.5	27.2	21.2	16.7	31.6	62.7	40.0	79.4	64.4	61.7	36.6	80.9
Virginia	23.8	23.9	17.4	15.8	12.4	24.1	59.4	43.6	75.8	67.9	66.2	39.5	54.2

TABLE 57. Percentage of Secondary Schools That Did Activities Related to Local Wellness Policies During the Past Year, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	Reviewed district's local wellness policy	Helped revise district's local wellness policy	Communicated to school staff about district's local wellness policy	Communicated to parents and families about district's local wellness policy	Communicated to students about district's local wellness policy	Measured school's compliance with district's local wellness policy	Developed an action plan to meet requirements of district's local wellness policy
STATE SURVEYS							
Alabama	76.9	45.6	73.1	63.2	66.4	64.5	47.3
Alaska	61.0	28.0	59.3	51.4	51.6	45.7	29.2
Arizona	75.5	50.7	71.8	61.3	55.8	53.2	41.9
Arkansas	99.0	91.8	88.2	83.0	77.8	91.3	89.8
Connecticut	81.1	54.4	69.9	65.1	60.7	57.6	45.9
Delaware	77.5	58.4	75.2	73.4	71.6	67.4	58.5
Florida	86.1	30.2	84.0	65.0	67.1	57.5	46.7
Georgia	79.9	51.9	69.3	61.8	61.7	62.9	54.6
Hawaii	75.2	23.2	65.8	56.2	57.7	55.5	36.5
Idaho	87.1	57.7	71.8	59.4	59.8	69.0	53.9
Illinois*	80.6	60.0	70.7	62.4	56.1	58.0	50.1
Indiana	92.1	67.0	84.5	71.7	72.2	68.4	55.2
Iowa	86.7	73.6	76.6	65.5	60.7	59.4	54.1
Kansas	91.1	75.2	83.0	66.1	62.4	71.1	56.3
Kentucky	95.2	63.3	81.5	73.6	74.8	76.9	62.3
Louisiana	72.7	36.1	69.1	62.2	61.3	50.8	39.4
Maine	90.4	61.6	81.5	62.8	62.5	54.9	40.6
Maryland	84.3	29.9	81.8	66.9	68.3	56.2	48.9
Massachusetts	90.1	60.6	76.4	70.2	68.2	61.4	52.4
Michigan	77.7	54.3	64.8	61.3	59.4	51.5	45.7
Minnesota	92.4	79.2	85.8	69.5	66.4	71.4	66.9
Mississippi	91.4	73.4	84.1	78.1	79.7	76.7	69.3
Missouri	91.6	78.3	87.3	73.1	72.6	69.5	65.5
Montana	82.8	58.0	75.8	57.6	59.8	55.8	42.8
Nebraska	92.8	74.0	91.4	70.3	75.2	76.1	64.3
Nevada	86.9	23.6	83.1	65.3	74.0	66.1	50.2
New Hampshire	96.6	73.3	93.6	83.1	82.2	72.9	59.0
New Mexico	80.0	56.5	76.4	64.5	64.9	57.7	52.9
New York	75.8	53.5	68.2	61.3	62.4	60.0	54.0
North Carolina	66.5	31.5	60.1	49.7	52.8	43.1	34.3
North Dakota	84.8	49.0	73.0	65.6	65.0	55.7	43.7
Ohio	84.0	60.0	73.7	61.6	61.7	58.6	50.6
Oklahoma	92.3	81.2	85.4	76.9	80.4	77.9	65.4
Oregon	77.2	40.0	66.8	53.4	51.4	47.9	34.7
Pennsylvania	75.9	55.4	70.2	61.8	61.9	54.9	42.5
Rhode Island	83.5	64.9	80.0	70.7	73.3	57.6	48.8
South Carolina	83.2	46.7	73.8	63.9	67.7	62.0	52.6
Tennessee	84.7	51.9	77.0	66.2	68.7	68.6	56.9
Texas	82.6	63.0	78.0	73.5	70.7	64.5	58.4

TABLE 58. Percentage of Secondary Schools That Took Actions Related to Before- or After-School Activities During the Past Year, Selected U.S. Sites: School Health Profiles, Principal Surveys, 2020

Site	Included before- or after-school settings as part of the School Improvement Plan	Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	Partnered with community-based organizations to provide students with before- or after-school programming	Provided parents with information about before- or after-school programs available in the community
STATE SURVEYS				
Alabama	53.9	37.6	34.5	69.8
Alaska	52.7	35.1	37.0	72.1
Arizona	44.8	41.0	36.3	59.1
Arkansas	50.4	43.2	33.0	62.9
Connecticut	39.3	44.3	57.0	77.7
Delaware	44.5	52.8	51.0	70.1
Florida	49.5	41.2	49.9	69.5
Georgia	54.7	37.4	55.1	66.0
Hawaii	60.4	54.8	61.0	77.5
Idaho	36.2	32.8	39.3	60.6
Illinois*	32.5	35.6	39.7	62.0
Indiana	34.4	41.8	53.4	68.4
Iowa	23.8	29.3	39.7	53.1
Kansas	30.3	29.3	29.0	49.8
Kentucky	56.5	56.7	51.2	76.5
Louisiana	44.9	33.1	40.3	51.8
Maine	23.9	32.0	43.6	72.5
Maryland	54.0	53.1	52.2	73.6
Massachusetts	41.2	48.6	56.7	79.8
Michigan	50.9	44.6	49.0	67.9
Minnesota	30.1	43.0	42.0	73.5
Mississippi	34.8	43.0	33.9	60.5
Missouri	44.6	43.7	37.4	65.2
Montana	39.5	47.2	39.6	63.7
Nebraska	32.0	40.2	35.2	58.6
Nevada	61.5	33.8	42.6	66.7
New Hampshire	12.1	47.1	56.4	78.4
New Mexico	37.7	43.1	45.0	66.8
New York	34.4	58.5	66.4	79.7
North Carolina	28.5	25.6	43.5	51.9
North Dakota	32.8	35.4	27.9	64.2
Ohio	26.5	36.2	41.1	60.0
Oklahoma	28.1	40.5	40.2	47.3
Oregon	44.9	41.0	49.2	77.0
Pennsylvania	24.0	43.4	46.3	60.4
Rhode Island	53.5	55.7	57.7	74.0
South Carolina	43.9	41.1	36.0	65.9
Tennessee	57.7	50.5	53.5	76.4
Texas	58.7	48.6	40.9	58.3
Utah	43.9	39.9	39.9	65.4